Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





TRADE LIST SPRING 1926

F. & F. Nurseries

SPRINGFIELD "NEW JERSEY
Wm. Flemer's Sons - Prop - also
PRINCETON NURSERIES PRINCETON, N. J.



Conditions of Sale

We have 700 acres devoted to the business; our methods of growing and handling stock are up to date.

References—Any leading nurseryman in the United States, Dun and Bradstreet's Agencies.

Prices—This list is intended for nurserymen and dealers only, and supersedes all previous editions. The prices are for the quantities named; 250, 25 and 5 will be furnished at the 1000, 100 and 10 rates respectively.

Terms—We are glad to grant 30 to 60 days time for payment of bills to all responsible parties, but parties we do not know, who have no commercial rating, must send remittance with order, or guarantee signed by someone of known responsibility. If references are sent, we will confer with them and after hearing favorably, if goods selected are still unsold, we will enter them as requested.

Trees selected by the customer at the nursery will be charged in accordance with their value.

Packing—A charge is made sufficient to remunerate for the cost of material only. Trees packed in bulk at no extra charge.

Complaints—Should there be any reason for complaint, we must be notified on receipt of goods, otherwise we cannot entertain it.

Orders—Are accepted on condition that they shall be void should any injury befall the stock from frost, or other causes over which we have no control.

Standardized Plant Names—With few exceptions, the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

Guarantee of Genuineness—While we exercise the greatest care to have all our trees and plants genuine and reliable, and hold ourselves prepared to replace on proper proof, all trees that prove untrue, we do not give any warantee, express or implied; in case of any error on our part it is mutually agreed between the purchaser and ourselves that we should not at any time be held responsible for a greater amount than the original price of the stock.

We guarantee all our stock to be in good condition on leaving our hands, but we do not guarantee it to grow under all conditions, nor do we make up any loss whatever due to climate effects or after culture.

To Our Customers—On all orders placed with us, stock is sold at the nurseries without freight allowance. The plants become your property upon delivery of them to the Transportation Co., and we cannot be responsible for loss, damage or delay in transit. If plants arrive in bad condition, before before receipting for them, require the Station Agent to note same on the freight or express receipt, then make your claim on the Transportation Co. If you accept shipments short of what is enumerated on your invoice or in bad condition without proper notation on freight or express receipt, the loss will be yours. Every assistance in our power will be cheerfully rendered you to trace and recover lost goods.

Boxing—Boxing cost is charged on the following basis:

12x 15 in, x 8 ft. \$1.75 23x28 in, x 8 ft. \$3.00 17x20 in, x 10 ft. \$3.50 15x 16 in, x 8 ft. 2.00 28x32 in, x 8 ft. 3.50 19x24 in, x 10 ft. 4.00 17x 20 in, x 8 ft. 2.25 31x36 in, x 8 ft. 4.00 23x28 in, x 10 ft. 4.50 19x 24 in, x 8 ft. 2.50 15x16 in, x 10 ft. 3.00 27x32 in, x 10 ft. 5.00

A State Entomologist inspection certificate will accompany each shipment

Table of Contents

To facilitate quick reference to the price list we have reclassified our stock as follows—and each class is alphabetically arranged. A complete index will be found at the back of the book.

Deciduous Trees, Shrubs and Vines	ages	1	to	31
Evergreens and Conifers	44	32	to	46
Herbaceous Perennials	44	47	to	50
Fruit Trees and Bushes	44	51	and	52

An Open Invitation

The best and really only way to become acquainted with the methods by which we grow nursery stock to maintain our slogan "QUALITY FIRST" is to visit our nurseries. We are only seventeen miles from New York City, and Millburn station on the D., L. & W. Railroad is within walking distance from us. If the Pennsylvania Railroad is more convenient, get off at Elizabeth station and call us up at Millburn 152 and we can meet you there. Street cars pass our office every half hour, giving direct communication with Elizabeth, Newark, Millburn and Summit. The auto roads are splendid in every direction, and we shall always be glad to show you around the nurseries—so come whenever you can.

F. & F. NURSERIES SPRINGFIELD, N. J. R

Deciduous Trees, Shrubs and Vines

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitant greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

Each Per 10 Per 100

ACANTHOPANAX pentaphyllum. (ARALIA). Five Leaf Aralia. 7'-8' Graceful arching habit. Splendid for banks, good foliage.

$1\frac{1}{2}$	to	2	ft	\$.25	\$2.00	\$15.00
2	to	3	ft	.30	2.50	20.00
3	to	4	ft	.35	3.00	25.00
4	to	5	ft	.45	4.00	

ACER dasycarpum. Silver Maple. 60'-80' Quick growing, graceful. Leaves silvery underneath—clear yellow autumn coloring.

8	to	10 ft	.90	7.50
8	to	10 ft., 1½ to 1½ in	1.25	10.00
0	to	11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.75	15.00
0	to	12 ft., 1¾ to 2 in	2.00	17.50
12	to	13 ft., 2 to $2\frac{1}{4}$ in	2.50	22.50
12	to	13 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	2.75	
14	to	15 ft., 3½ in	6.00	

dasycarpum pyramidale. Pyramidal Silver Maple. 30'-40' A narrow form with vertical branches, useful for accent.

6	to	8 ft	1.00
8	to	10 ft	1.50
8	to	10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00
9	to	10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50
10	to	11 ft., 2 to $2\frac{1}{4}$ in	3.00
11	to	12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.50

dasycarpum wieri. Wier Cut Leaf Maple. 60'-80' Graceful, drooping.

8 to 10 ft., 1½ to 1½ in 1.50 10 to 11 ft., 1½ to 1¾ in 2.00

negundo. Box Elder. 60' Grows where other trees fail—especially good for dry barren places and seashore. Rapid grower.

8	to	10 ft	.75	7.00
8	to	10 ft., 11/4 to 11/2 in	1.00	9.00
10	to	11 ft., 1½ to 1 ¾in	1.35	12.50
11	to	12 ft., 1 ³ / ₄ to 2 in	1.75	15.00
12	to	13 ft., 2 to 2½ in	2.50	
13	to	14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	2.75	

palmatum (polymorphum). Green Japanese Maple. 12'-15'
Develops into a splendid specimen for lawn planting.

3	to	4 ft		20.00
		5 ft	2.75	25.00

palmatum atro purpureum. Purple Leaf Japan Maple. 6'-8' Has rich purple-red leaves all summer. Best in sun. These are carefully selected seedlings.

-				
11/2	to	2	ft	 3.50
				 4.50
				 5.50

pennsylvanicum (striatum). Striped Maple. 20'-30' Has distinctive green bark striped with white. Thrives in wet soils.

2	to	3 ft	.50
3	to	4 ft	.75
4	to	5 ft	1.00

```
Each
                                                 Per 10 Per 100
ACER platanoides. Norway Maple. 50'-75'
                                          The most popular street
             tree, retains green leaves till late autumn then turns rich yellow.
           $2.75 $25.00
                                         3.00
4.00
                                                 27.50
                                                 37.50
                                          5.00
6.00
7.00
                                                 47.50
                                          8.50
   platanoides schwedleri. Schwedler Purple Maple. 40'-60' Probably
             the best large growing purple leaf tree—useful lawn tree.
            4 to 5 ft..
                                           1.00
            5 to 6 ft....
                                           1.50
   rubrum. Red or Scarlet Maple. 50'-75' Best in moist locations, also
            thrives in upland. Brilliant red autumn coloring, gray bark.
           2.35
2.75
3.50
4.25
                                          5.00
           14 to 15 ft., 2\frac{1}{2} to 3 in ......
                                          6.00
   saccharum. Sugar Maple. 50'-75' Most popular in northern states.
            Best planted in spring-rich yellow autumn coloring.
                                         1.50
2.00
2.50
3.50
4.50
5.50
            8 to
                 10 ft...
           10 to 11 ft., 1\frac{1}{4} to 1\frac{1}{2} in ......
           32.50
                                                40.00
                                                 50.00
                                          6.50
8.00
           10.00
   tatarica ginnala. Tatarian Maple. 10'-12' Graceful and valuable
            for bright red autumn coloring. Has good twiggy habit.
           .40
                                            .60
                                           1.00
ACTINIDIA arguta. Bower Actinidia. 20'-30' Greenish white, July-rich
            dark green foliage-yellow berries. A quick growing vine.
           2 to 3 ft ... .40
3 to 4 ft ... .45
                                                  3.50
                                                  4.00
AESCULUS parviflora. (PAVIA macrostachy) Bottlebush Buckeye. 6'-7'
             Handsome spreading shrub covered with erect spikes of
             creamy flowers, July-August, leaves similar to horsechestnut.
            2 to 3 ft ....
                                           1.00
            glandulosa. Tree of Heaven. 50'-60' Succeeds under
AILANTHUS
             most adverse city conditions. Large leaves- grows rapidly.
            4 to 6 ft .....
                                           .65
                                                  6.00 $50.00
                 .85
            6 to
                                                  7.50
                                                          65.00
            8 to
                                           1.00
           10 to 12 ft.....
                                           1.50
AKEBIA quinata. Fiveleaf Akebia. 15'-20' Dainty beautiful vine, purple
             flower, May. Deep green leaves-persisting till winter.
           3 yr...
                                            .35
                                                  3.00
AMELANCHIER canadensis (botryapium). Juneberry. 12'-15' White
             flowers in early spring before leaves. Fruits relished by birds.
           .40
                                                  3.50
                                            .50
                                                  4.50
                                            .55
                                                  5.00
AMORPHA fruticosa. Indigo Bush. 8'-10' Deep purple flowers in June.
           2.00
                                            .35
           3 to 4 ft .....
                                                  3.00
                                                          25.00
                                                  3.50
           4 to 5 ft.....
                                            .40
```

F	Each	Per 10	Per 100
AMPELOPSIS heterophylla. Porcelain Ampelo			
deeply lobed, fruits bright blue in Sep	otOct		
2 yr. No 1 \$			
quinquefolia. Virginia Creeper. 30'–50' V autumn coloring. Useful for natura	l effect	e for ri	ch fiery
2 yr. No. 1		\$1.80	\$12.00
	.25	2.00	15.00
engelmanni. Engelmann Creeper. 30'-40' woodbine—very hardy.			
2 yr. No. 1	.20	1.80	15.00
3 yr. No. 1	0'-50'	Brilliant	autumn
coloring, blue berries turning black—	closely	self-cling	ing vine.
2 yr. No. 1	.45	4.00	
2 yr. No. 2	.35	3.00	25.00
3 yr. No. 1	.50	4.50	
AMYGDALUS nana. Flowering Almond. 5'-6'			le, May.
Pink and White. (Please specify which color	you w	ant,) 4.50	40.00
2 to 2½ ft	.60	5.50	40.00 50.00
$1\frac{1}{2}$ to 2 ft	.70	6.00	5 0 7 0 0
3 to 3½ ft	.85	7.50	
persica (Prunus). Flowering Peach. 8' 10' flowering form, blooms before leaves	-red c	or white.	e double
2 to 3 ft	.55	5.00	
4 to 5 ft	.65	6.00	
5 to 6 ft	.75		
ARALIA pentaphyllum. (See Acanthopanax.) spinosa. Hercules' Club. 18'-20' Useful	for tro	pical eff	ects and
shadows. White flowers, July—dar			
2 to 3 ft 3 to 4 ft	.35	3.00	20.00 25.00
	.40	3.50	30.00
5 to 6 ft	.55	5.00	
ARONIA arbutifolia. Red Chokeberry. 6'-8' red berries. Succeeds in half shade,	good f	all colori	ng.
$\frac{1\frac{1}{2}}{2}$ to 2 ft	.40 .50	3.50 4.50	30.00
3 to 4 ft	.60		
melanocarpa (nigra). Black Chokeberry. flowers in May. Black berries persis	8'-10' st until	Delica late.	te white
$1\frac{1}{2}$ to 2 ft	.30	2.50	20.00
2 to 3 ft	.35 .40	3.00 3.50	25.00
4 to 5 ft	.50	0.50	30,00
AZALEA arborescens. 10'-12' Sweet Azalea. Frag			ers, June.
12 to 15 in., B. & B	1.00	9.00	
15 to 18 in., B. & B 1½ to 2 ft., B. & B	1.75	12.50	
amoena. (See page 32)			
calendulacea (lutea). Flame Azalea. 8'-10'	Brill	iant flam	e-colored
flowers in early spring, cover the wh	hole sh	rub.	
	1.00		
	1.75		
hinodegiri. (See page 32)			

AZALEA ka	Each Per 10 Per 100 aempferi. Torch Azaea. 4'-5' Warm brick-red flowers, May. 12 to 15 in., B. & B. \$1.50 15 to 18 in., B. & B. \$1.75
	15 to 18 in., B. & B
mollis.	Chinese Azalea. 4'-6' Large showy flowers in shades of
	Chinese Azalea. 4'-6' Large showy flowers in shades of orange and red. May-June. Large hairy leaves.
	12 to 15 in., B. & B
	15 to 18 in., B. & B
	12 to 15 in., B. & B
nudiflor	
	Prefers moist, slightly shaded place. A beautiful variety.
	12 in., B. & B
	15 in., B. & B
	1½ tt., B. & B
ponticui	n. Pontic Azalea. 6'-8' Flowers of all shades, white to red.
	12 to 15 in., B. & B
1.1	Prefers moist, slightly shaded place. A beautiful variety. 12 in., B. & B
pouknar	iensis. Norean Azatea. 2-3 Large funnel snaped purple-
	mac nowers. It new hardy variety, wen recommended.
w0.000	12 to 15 in
rosea.	Downy Azalea. 4'-5' Good bushy habit. Beautiful pink flowers, May-June. Prefers semi-shady, moist place.
	11/2 to 2 ft B & B 1.75 15.00
	1½ to 2 ft., B. & B 1.75 15.00 2 to 2½ ft., B. & B 2.00 17.50
ulagoan	Swamp Azalea. 4'-5' White, very fragrant, June-July.
viscosa.	12 to 15 in R & R
	12 to 15 in., B. & B
	1½ to 2 ft B & B 150 1350
vodogav	va. Yodogawa Azalea. 3'-4' Double pinkish-lavender flowers
	May Quite hardy and of exceptional merit Rushy habit
	12 to 15 in B. & B
	15 to 18 in., B. & B
	1½ to 2 ft., B. & B 2.00 17.50
	12 to 15 in., B. & B
BACCHARIS	S halimifolia. Groundsel Bush. 9'-10' Conspicuous fluffy
	seed pods in Sept. Good for seashore. Best in masses.
	2 to 3 ft 35
	2 10 3 11
	2 to 3 ft
BENZOIN a	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers
BENZOIN a	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers
BENZOIN a	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers
BENZOIN a	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers
	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS thunberg	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS thunberg	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS thunberg	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS thunberg	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS thunberg	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS thunberg	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS thunberg	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft
BERBERIS thunberg	estivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic, likes moisture. 1½ to 2 ft

DECIDUOUS TREES, SHRUBS AND VINES 5
Each Per 10 Per 100
Each Per 10 Per 100 BERBERIS vulgaris. European Barberry. 7'-8' Yellow flowers, May. Fruit red, persisting to mid-winter. Vigorous, upright habit. 1½ to 2 ft
Fruit red, persisting to mid-winter. Vigorous, upright habit.
2 to 3 ft 25 2.00
3 to 4 ft
vulgaris purpurea. Purple European Barberry. 7'-8' Has pleasing
soft purple foliage. Similar in habit to preceding
1½ to 2 ft
2 to 3 ft
1 ½ to 2 ft
when grouped against dark green background.
3 to 4 ft
4 to 6 ft
6 to 8 ft
4 to 5 ft
6 to 8 ft 2.25
8 to 10 ft
6 to 8 ft
5 to 6 ft
alba youngi. Young Weeping Birch. 30'-40' Has spreading pen-
dulous branches. Most graceful lawn specimen.
3 to 4 ft 1.00
4 to 5 ft
lenta. Sweet Birch. 40'-60' Has attractive smooth reddish bark and conspicuous catkins in spring. Prefers moist location.
3 to 4 ft
4 to 5 ft
5 to 6 ft
lutea. Yellow Birch. 50'-70' Makes fine windbreak—good foliage.
Makes fine windbreak
6 to 8 ft
8 to 10 ft
12 ft
nigra. River Birch. 50'-60' Thrives in moist places. Its torn ragged bark is quite unique—very effective for naturalistic planting.
3 to 4 ft
4 to 6 tt
6 to 8 ft
8 to 10 ft
wary white when older graceful branching habit
4 to 6 ft
6 to 8 ft
8 to 10 ft
10 to 12 ft
4 to 6 ft
places, Commonly round native in the w jersey.
4 to 6 ft
6 to 8 ft
8 to 10 ft
BIGNONIA radicans. Trumpet Vine. 20'-30' Showy trumpet shaped flowers—scarlet and orange, July. Roots as it climbs.
1 yr
2 yr
3 yr
grandiflora. Chinese Trumpet Vine. 20'-25' Flowers deep scarlet, July. 2 yr
2 VI50 T.JU

	Fach	Per 10	Per 100
BUDDLEIA veitchiana. Butterfly Bush. 5'-			
group foliage and deep like flow	very	ellective	Willi glay-
green foliage and deep lilac flow	¢ 20	cs sum ;	tile-Sept.
1½ to 2 ft	\$.20	\$1.50	\$10.00
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2:50	20.00
CALLICARPA purpurea. Chinese Beauty-l	Berry. 3	-4' Esp	ecially at-
tractive in August with its lilac-v	iolet berri	es. Grace	eful habit.
15 to 18 in	25	2.00	
1½ to 2 ft	30	2.50	20.00
$\frac{1}{2}$ to $\frac{21}{6}$ ft	.35	3.00	20.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$.40	3.50	
CALYCANTHUS floridus. Common Swee	t Shrub.	4'-5'	Reddish-
brown flowers, June-Sept., spicy	fragrance	. Good	foliage.
$1\frac{1}{2}$ to 2 ft	.35	3.00	•
2 to 3 ft	.45	4.00	
1½ to 2 ft 2 to 3 ft 3 to 4 ft	.55	5.00	
CARAGANA arborescens. Siberian Peatree.			ea chanad
flowers, May-June. Does best i			
o . 7 C.	70	o ro	٤,
2 to 3 ft	.30	2.50	
3 to 4 ft			
CARPINUS caroliniana (americana). Americana	an Horn	beam. 3	30'-40'
Closely resembles the beech—sme	ooth blue-	gray barl	ζ.
2 to 3 ft	40	3.50	
2 to 3 ft	.50	4.50	
3 to 4 ft	.60	1.50	
CARYOPTERIS incana (mastacantha). Bla	nahaard	9' 9' 1	orrow doe
blue flowers, SeptOct. Splen	did for n	2-3 1	Daguina
protection in winter. A herbaced	ulu 101 1	nassing.	Requires
12 to 15 in., 1 yr	.30	2.50	20.00
12 to 15 in., 1 yr	.30 15' Form	2.50 nal planti	20.00
12 to 15 in., 1 yr	.30 15' Fort 1.25	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25 1.60 2.00 2.25	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25 1.60 2.00 2.25	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25 1.60 2.00 2.25 2.50	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25 1.60 2.00 2.25 2.50	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25 1.60 2.00 2.25 2.50	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25 1.60 2.00 2.25 2.50	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25 1.60 2.00 2.25 2.50	2.50 nal planti 11.50	20.00 ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00	2.50 mal planti 11.50 15.00 17.50	ng.
12 to 15 in., 1 yr	.30 15' Form 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage	2.50 mal planti 11.50 15.00 17.50	ng.
12 to 15 in., 1 yr	.30 15' Fort 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 ilar foliage .30	2.50 mal planti 11.50 15.00 17.50	ng.
12 to 15 in., 1 yr	.30 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage .30 .40	2.50 mal planti 11.50 15.00 17.50	ng.
12 to 15 in., 1 yr	.30 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 .30 .40	2.50 nal planti 11.50 15.00 17.50	ng. it as Elm.
12 to 15 in., 1 yr	.30 .15' Form 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage .30 .40 .50	2.50 nal planti 11.50 15.00 17.50 and hab	it as Elm.
12 to 15 in., 1 yr	.30 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage .30 .40 .50	2.50 nal planti 11.50 15.00 17.50 and hab	it as Elm.
12 to 15 in., 1 yr	.30 1.25' Form 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage .30 .40 .50 al Bitters: perries wh	2.50 mal planti 11.50 15.00 17.50 and hab	it as Elm. -20' Has l winter. 15.00
12 to 15 in., 1 yr	.30 .15' Form 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage .30 .40 .50 al Bitters: perries wh .25 .30	2.50 mal planti 11.50 15.00 17.50 and hab	ng. -20' Has l winter. 15.00 20.00
12 to 15 in., 1 yr	.30 .15' Fort 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage .30 .40 .50 al Bitters: perries wh .25 .30 Most ad	2.50 nal planti 11.50 15.00 17.50 and hab	it as Elm. -20' Has l winter. 15.00 20.00 ine, with
12 to 15 in., 1 yr	.30 .15' Fort 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage .30 .40 .50 al Bitters: perries wh .25 .30 Most ad	2.50 nal planti 11.50 15.00 17.50 and hab	it as Elm. -20' Has l winter. 15.00 20.00 ine, with
12 to 15 in., 1 yr	.30 .15' Fort 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage .30 .40 .50 al Bitters: berries wh .25 .30 Most add color wh	2.50 nal planti 11.50 15.00 17.50 and hab	it as Elm. -20' Has l winter. 15.00 20.00 ine, with
12 to 15 in., 1 yr	.30 .15' Fort 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 illar foliage .30 .40 .50 al Bitters: berries wh .25 .30 Most add color wh	2.50 mal planti 11.50 15.00 17.50 and hab weet. 15'- ich last al 2.00 2.50 aptable v ten cut an 1.50	it as Elm. -20' Has I winter. 15.00 20.00 ine, with hid dried. 10.00
12 to 15 in., 1 yr	.30 .15' Form 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 dilar foliage .30 .40 .50 al Bitters: perries wh .25 .30 Most add color wh	2.50 mal planti 11.50 15.00 17.50 and hab weet. 15'- ich last al 2.00 2.50 aptable v nen cut an	-20' Has 1 winter. 15.00 20.00 ine, with died. 10.00 15.00
12 to 15 in., 1 yr	.30 1.25' Form 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 dilar foliage .30 .40 .50 all Bitters: berries wh .25 .30 Most add	2.50 mal planti 11.50 15.00 17.50 and hab aweet. 15'- ich last al 2.00 2.50 aptable v en cut at 1.50 2.00 2.50	-20' Has 1 winter. 15.00 20.00 ine, with and dried. 10.00 15.00 20.00
12 to 15 in., 1 yr	.30 .15' Fort 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 dlar foliage .30 .40 .50 al Bitters: berries wh .25 .30 Most add color wh .20 .25 .30 5'-6'	2.50 mal planti 11.50 15.00 17.50 and hab weet. 15'- ich last al 2.00 2.50 aptable v nen cut an 1.50 2.00 2.50 Round h	-20' Has 1 winter. 15.00 20.00 ine, with and dried. 15.00 20.00 coneads of
CATALPA bungei. Umbrella Catalpa. 10'- Medium Heads. 1½ in. stems First Class Heads. 1½ in. stems Extra Large Heads. 1¾ in. stems Double Ex. Large Heads 2 in. stems XXX	.30 .15' Form 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 dilar foliage .30 .40 .50 al Bitters: berries wh .25 .30 Most add a color wh .20 .25 .30 . 5'-6' Good folia	2.50 mal planti 11.50 15.00 17.50 and hab weet. 15'- ich last al 2.00 2.50 aptable v nen cut an 1.50 2.00 2.50 Round h ge, likes n	-20' Has 1 winter. 15.00 20.00 ine, with and dried. 15.00 20.00 coneads of
CATALPA bungei. Umbrella Catalpa. 10'- Medium Heads	.30 .15' Form 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 .30 .40 .50 al Bitters: berries wh .25 .30 Most add a color wh .20 .25 .30 .5'-6' Good folia .20	2.50 mal planti 11.50 15.00 17.50 and hab weet. 15'- ich last al 2.00 2.50 aptable v nen cut an 1.50 2.00 2.50 Round I ge, likes n 1.50	-20' Has 1 winter. 15.00 20.00 ine, with and dried. 15.00 20.00 coneads of
CATALPA bungei. Umbrella Catalpa. 10'- Medium Heads. 1½ in. stems First Class Heads. 1½ in. stems Extra Large Heads. 1¾ in. stems Double Ex. Large Heads 2 in. stems XXX	.30 .15' Form 1.25 1.60 2.00 2.25 2.50 .75 1.25 1.50 2.00 dilar foliage .30 .40 .50 al Bitters: berries wh .25 .30 Most add a color wh .20 .25 .30 . 5'-6' Good folia	2.50 mal planti 11.50 15.00 17.50 and hab weet. 15'- ich last al 2.00 2.50 aptable v nen cut an 1.50 2.00 2.50 Round h ge, likes n	-20' Has 1 winter. 15.00 20.00 ine, with and dried. 15.00 20.00 coneads of

DECIDUOUS TREES, SHRUBS AND VINES 7
CERASUS. (See Prunus) Each Per 10 Per 100
CERCIDIPHYLLUM japonicum, Katsura Tree. 60'-80' Develops into
a magnificent tree. Beautiful spring and autumn coloring.
3 to 4 ft \$ 75 \$6.50
4 to 5 ft
5 to 6 ft
4 to 5 ft
Very effective when planted with dogwood - Good toliage
2 to 3 ft
2 to 3 ft
4 to 5 ft65
chinensis (japonica.) Chinese Redbud. 10'-12' Flowers larger and
darker than above—best in rather moist soil.
15 to 18 in
2 ft
2½ ft
CHIONANTHUS virginica. White Fringe. 15'–18' Fragrant tassel-like
white flowers, May June. Blue-black plum-like fruits follow.
1½ to 2 ft
2 to 3 ft
4 to 5 ft 1.00
4 to 5 ft
flowers Sept Wooly seed nods also attractive. Useful vine
2 yr., No. 2
2 yr., No. 1
3 yr., No. 1
July Sept. Prefers moist shady places—good for massing.
1½ to 2 ft
1½ to 2 ft .35 3.00 2 to 3 ft .40 3.50 30.00 3 to 4 ft .45 4.00 35.00
3 to 4 ft
COLUTEA arborescens. Bladder Senna. 8'-10' Yellow flowers, June-
Aug. Useful for dry places -inflated seed pods often colored.
2 to 3 ft
3 to 4 ft
4 to 5 ft
Useful under shrub for poor stony soil.
15 to 18 in
15 to 18 in
CORNUS alba (sibirica.) Coral Dogwood. 8'-10' Bright red bark.
porcelain blue fruits—quick grower, useful for winter effect.
3 to 4 ft 30 250 2000
4 to 5 ft
2 to 3 ft
green leaves. Good shrubby habit.
$1\frac{1}{2}$ to 2 ft
2 to 3 ft
alba elegantissima. Variegatea Dogwood. 3-6 Has silver and green leaves. Good shrubby habit. 1½ to 2 ft
1½ to 2 ft
2 to 2½ ft
alternifolia. Pagoda Dogwood. 15'-18' Branches spread horizontally, making deep shadow effects. Blue-black fruit.
making deep shadow effects. Blue-black fruit.
2 to 3 ft
3 to 4 ft
amomum (sericea.) Silky Dogwood. 8'-9' Pale blue fruits—young
twigs purple. Prefers moist places, has creamy white flowers.
2 to 3 ft
3 to 4 ft

	Each Per 10 Per 100
CORNUS h	aileyi. Bailey Dogwood. 8'-10' Upright grower, dark red bark,
COMMODB	gray-green leaves, white fruits, small white flowers all summer.
	3 to 4 ft \$.30 4 to 5 ft \$.35
4 11	TITL: D1
f.orida.	White Flowering Dogwood. 15'-25' Among the best of the
	native spring flowering small trees-red berries in fall.
	3 to 4 ft
	4 to 5 ft
	5 to 6 ft 1.25
	6 to 8 ft 1.75
florida	pendula. Weeping Dogwood. 8'-10' Curious weeping form.
	3 to 4 ft
rubra.	Red Flowering Dogwood. 15'-20' The pink flowers are more
	persistent than the white. Berries similar to the white type.
	$1\frac{1}{2}$ to 2 ft
	$1\frac{1}{2}$ to 2 ft
	2½ to 3 ft
	3 to 4 ft
	4 to 5 ft
kousa.	Kousa Dogwood. 16'-18' Large white flowers in June.
	Conspicuous cherry-like scarlet fruits, attractive to birds.
	2 to 3 ft
	3 to 4 ft
	4 to 5 ft
panicul	ata. Gray Dogwood. 10'-12' Numerous small white flowers
	in May, followed by white fruits on red stems—likes moisture.
	1½ to 2 ft
	2 to 3 ft
	3 to 4 ft
stolonif	era. Red Osier Dogwood. 7'-8' Spreading, red bark, white
	fruits. Grows vigorously, very adaptable.
	2 to 3 ft25 2.00
	2 to 3 ft25 2.00
stolonif	2 to 3 ft
	2 to 3 ft
CORYLUS	2 to 3 ft
CRATAEGI	2 to 3 ft
CORYLUS CRATAEGO carriere	2 to 3 ft
CORYLUS CRATAEGO carriere	2 to 3 ft
CORYLUS CRATAEGO carriere	2 to 3 ft
CORYLUS CRATAEGO carriere	2 to 3 ft
CORYLUS CRATAEGO carriere	2 to 3 ft
CRATAEGI carriere	2 to 3 ft

E 1 D 10 D 100
Each Per 10 Per 100
CRATAEGUS crusgalli. Cockspur Thorn. 15' Deep green shiny leaves make this hawthorn distinctive. Conspicuous white flowers.
2 to 3 ft
3 to 4 ft
4 to 5 ft
oxycantha (Monogyna). English Hawthorn. 12'-15' Single white.
2 to 3 ft
3 to 4 ft
4 to 5 ft
Paul's Scarlet. 12'-15' Double scarlet flowers. 3 to 4 ft
4 to 5 ft
5 to 6 ft 2.00
CYDONIA japonica. Flowering Quince. 4'-5' Scarlet flowers in April.
15 to 18 in
1½ to 2 ft
CYTISUS scoparius. Scotch Broom. 4'-5' Yellow pea shaped flowers,
May. Good for seashore planting.
2 to 3 ft
3 to 4 ft
DESMODIUM. (See LESPEDEZA.)
DEUTZIA gracilis. Slender Deutzia. 3' Profuse bloomer, pure white, May.
10 to 12 in
12 to 15 in
15 to 18 in
2 ft
lemoinei. Lemoine Deutzia. 4'-5' Large white flowers, June, graceful.
15 to 18 in
$1\frac{1}{2}$ to 2 in
2½ to 3 ft
magnifica. 6'-8' Large tassel-like flowers, June. Vigorous grower.
2 to 3 ft
3 to 4 ft
parviflora. Mongolian Deutzia. 3' Erect habit, white, June.
15 to 18 in
1½ to 2 ft
2 to $2\frac{1}{2}$ ft
dou's'e white, June. Grows vigorously—one of the best.
$1\frac{1}{2}$ to 2 ft
2 to 3 ft
3 to 4 ft
fragrant. June.
$1\frac{1}{2}$ to 2 ft
2 to 3 ft
3 to 4 ft
scabra. Pride of Rochester. 9'-10' Vigorous, large flower tinged pink—June.
1½ to 2 ft
2 to 3 ft
3 to 4 ft
vilmorinae. Vilmorin Deutzia. 4'-5' Graceful spreading habit—white flowers in loose clusters.
1½ to 2 ft
2 to 2½ ft

10 DECIDUOUS TREES, SHRUBS AND VINES	
Each Per 10 Per 1	00
DIERVILLA sessilifolia (lutea.) Southern Bush Honeysuckle. 4'-5'	
Yellow, more vigorous than following variety, June-July.	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
trifida. Dwarf Bush Honeysuckle. 3' Yellow, June-July. A go	od
low shrub for shady places.	
10	20
15 to 18 in)U
1½ 10 2 11	00
DIOSPYROS virginiana. Persimmon. 15' Handsome foliage.	
5 10 . 4 .1150	
4 to 5 ft	,
ELAEAGNUS angustifolia. Russian Olive. 15'-18' Silver-gray leaves a	nd
branchlets, orange berries. Good for massing—prefers su	ın.
2 to 3 ft	າດ
4 to 5 ft	00
longipes. Cherry Eleagnus. 6'-8' Silvery leaves, fragrant yello	
flowers, May. Large red berries, July. Good for lime-stor)W
11/ to 2 ft 35	IE.
2 to 3 ft 45 400	
3 to 4 ft 55	
1½ to 2 ft	·k.
Warm crimeon autumn coloring makes ting enginen chru	i h
1½ to 2 ft	
1½ to 2 ft	
$2\frac{1}{2}$ to 3 ft	
3 to 4 ft	
americanus. Brook Euonymus. 7'-8' Pink fruits, prefers moist place	2S.
$1\frac{1}{2}$ to 2 ft	
2 to 3 ft	
1½ to 2 ft	he
orange and white seed nods persist for a long time.	he
orange and white seed nods persist for a long time.	he
orange and white seed nods persist for a long time.	he
orange and white seed pods persist for a long time. 2 to 3 ft	he
orange and white seed pods persist for a long time. 2 to 3 ft	he
orange and white seed pods persist for a long time. 2 to 3 ft	he
orange and white seed pods persist for a long time. 2 to 3 ft	he
orange and white seed pods persist for a long time. 2 to 3 ft	
orange and white seed pods persist for a long time. 2 to 3 ft	rs,
orange and white seed pods persist for a long time. 2 to 3 ft	rs,
orange and white seed pods persist for a long time. 2 to 3 ft	rs,
orange and white seed pods persist for a long time. 2 to 3 ft	rs,
orange and white seed pods persist for a long time. 2 to 3 ft	rs, oil.
orange and white seed pods persist for a long time. 2 to 3 ft	rs, oil.
orange and white seed pods persist for a long time. 2 to 3 ft	rs, oil.
orange and white seed pods persist for a long time. 2 to 3 ft	rs, oil.
orange and white seed pods persist for a long time. 2 to 3 ft	rs, iil. 00
orange and white seed pods persist for a long time. 2 to 3 ft	rs, iil. 00
orange and white seed pods persist for a long time. 2 to 3 ft	rs, iil. 00
orange and white seed pods persist for a long time. 2 to 3 ft	rs, iil. 000 m-
orange and white seed pods persist for a long time. 2 to 3 ft	rs, iil. 000 m-
orange and white seed pods persist for a long time. 2 to 3 ft	rs, iil. 000 m-
orange and white seed pods persist for a long time. 2 to 3 ft	rs, iil. 000 m-
orange and white seed pods persist for a long time. 2 to 3 ft	w.il.
orange and white seed pods persist for a long time. 2 to 3 ft	w.il.
orange and white seed pods persist for a long time. 2 to 3 ft	w.l. st
orange and white seed pods persist for a long time. 2 to 3 ft	w.il.
orange and white seed pods persist for a long time. 2 to 3 ft	w.il.

Each Per 10 Per 100
FORSYTHIA suspensa fortunei. Fortune Golden Bell. 7'-8' Good habit, arching branches, vigorous growth. Invaluable for
2 to 3 ft
4 to 5 ft
viridisssima. Green Stem Forsythia. 7'-8' Most vigorous. Has
green bark—thick, dark green leaves. Last to flower.
2 to 3 ft
FRAXINUS americana. White Ash. 70'-80' Fairly rapid grower. Assumes
pleasing golden tones in autumn. Good in moist and lime
8 to 10 ft., 1½ to 1½ in 1.00 9.00
soils. Makes a splendid street tree with a clean straight trunk. 8 to 10 ft., 1½ to 1½ in 1.00 9.00 10 to 12 ft., 1½ to 1¾ in 1.25 11.00 10 to 12 ft., 1¾ to 2 in 1.50 12 to 13 ft., 2 to 2¼ in 2.00 12 to 13 ft., 2½ to 2½ in 2.50 13 to 14 ft., 2½ to 3 in 3.50
12 to 13 ft., 2 to 2½ in 2.00
12 to 13 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in 2.50
CENISTA timetoxia Woodwayay 2' Valley as should be used by
12 to 18 in
GENISTA tinctoria. Woadwaxen. 3' Yellow pea-shaped flower—June. 12 to 18 in
GINKGO biloba (SALISBURIA). Maidenhair Tree. 50'-75' Picturesque,
interesting, quite distinct. Leaves shaped like maidenhair fern. Immune from insects—thrives under city conditions.
6 to 8 ft
8 to 10 ft 1.25
10 to 12 ft., 1½ to 1¾ in 1.75
1
12 to 14 ft., 2 to 2½ in 3.00 GLEDITSIA triacanthos. Honey Locust. 60′-70′ Thorny tree with
fragrant white flowers in May. Good for gravelly soil.
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft

DECIDUOUS TREES, SHRUBS AND VINES	
Each Per 10 Per	00
HIBISCUS variegata. Variegated Rose of Sharon. 6'-8' Leaves striped	yel.
$1\frac{1}{2}$ to 2 ft	
1½ to 2 ft	
HYDRANGEA arborescens. Smooth Hydrangea. 4'-5' White, June-June-June-June-June-June-June-June-	ıly.
$1\frac{1}{2}$ to 2 ft	.00
2 to 3 ft	.00
3 to 4 ft	
nyhovoscone gyandiflora Suom Hill Hudrandea 1' 5' I arga he	ade
pure white flowers, June-July.	
$1\frac{1}{2}$ to 2 ft	.00
2 to 3 ft	
3 to 4 ft	
pure white flowers, June–July. 1½ to 2 ft	ier-
neath, flowers white, fune-fully. Pleasing fresh green folis	ige.
1½ to 2 ft	
1½ to 2 ft	
5 to 4 it	
paniculata. Panicle Hydrangea. 8'-9' Large loose panicles of w	nite
flowers, August. A graceful, desirable shrub.	
1½ to 2 ft	
1½ to 2 ft	.00
5 10 4 II	
paniculata grandiflora. Peegee. 8'-9' Very showy blooms, Aug	ust.
1½ to 2 ft	.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$.00
2/2 10 3 11	
quercifolia. Oak Leaf Hydrangea. 3'-4' Large leaves shaped like	an
oak leaf. Splendid autumn coloring—succeeds in shade.	
10 10 10 1n	
15 to 18 in	
paniculata grandinora. STANDAND. TREE PONIX.	
Medium, 3 to 4 ft	
First class, 3 to 4 ft	
Medium, 3 to 4 ft .75 6.50 First class, 3 to 4 ft .85 7.50 Extra, 4 to 5 ft 1.00 9.00 HYPERICUM aureum. Golden St. Johnswort. 3'-4' Yellow, July-A	
HYPERICUM aureum. Golden St. Johnswort. 3'-4' Yellow, July-A	ug.
blue-green foliage, dense habit, good for margin of shrubbe	ery.
15 to 10 in	
15 to 18 in	
ledwinner Kalus St. Tolunquent 4/ 5/ Diversity Inches	
kalmianum. Kalm St. Johnswort. 4'-5' Blue-green leaves glauce	ous
underside. Withstands drought. July-Sept.	
underside. Withstands drought. July-Sept. 2 to 3 ft	
moserianum. Gold Flower. 2' Large yellow flowers, July-A	~
Dainty, half herbaceous splendid mass plant.	ug.
2 vr 12 in 25 200 15	.00
2 yr 15 in 30 250 20	.00
2 yr 11/2 ft 35 3.00 25	00
prolificum. Shrubby St. Johnswort. 2½'-3' A dense shrub, yell flowers profusely borne in July-Sept. Good for rock sc 1½ to 2 ft	211
flowers profusely horne in July-Sept. Good for rock so	ile
1½ to 2 ft 30 250	1113.
2 to 2½ ft .35 3.00	
II EV verticillata (PRINOS) Winterharra 6'-9' Bright and harries pers	ict.
ILEX verticillata (PRINOS). Winterberry. 6'-8' Bright red berries pers ing to mid-winter—not eaten by birds. Prefers moist soil	151-
	.00
	.00
2 to 2½ ft	55
2½ to 3 ft	
/ 5	lv•
ITEA virginica. Sweetspire. 3'-4' Spikes of fragrant white flowers, Ju	ly•
ITEA virginica. Sweetspire. 3'-4' Spikes of fragrant white flowers, Ju Good for low places—brilliant autumn coloring.	ly•
ITEA virginica. Sweetspire. 3'-4' Spikes of fragrant white flowers, Ju Good for low places—brilliant autumn coloring.	00

	DECIDUOUS TREES, SHRUBS AN	D VINES 13
		Each Per 10 Per 100
JASMINUM	humile. Italian Jasmine 3' Yellov	v free flowering
	1½ to 2 ft. \$ 2 to 2½ ft.	.30 \$2.50
nudiflow	177° / T ° 0/ 37 11 A	11 1 X
nuamore	15 to 18 in Yellow, Ap. 1½ to 2 ft	$\frac{25}{200}$ \$15.00
	1½ to 2 ft	.30 2.50 20.00
	2 to 2½ ft	.35 3.00
KERRIA jap	onica. Japanese Kerria. 4'-5' Go	lden yellow, June-Sept.
	15 to 18 in	ects—graceful habit.
	1½ to 2 ft	.35
japonica	1½ to 2 ft	4'-5' Desirable double
	flowering form. Stronger growth and	blooms more profusely
	1½ to 2 ft	.40 3.50
KOEL DEUT	1½ to 2 ft	.50 4.50
KOELKEUI	flowers in July—a valuable small tree	-30 Has bright yellow
	3 to 4 ft	.50
	3 to 4 ft	.65
	4 to 6 ft	.85
LABURNUM	l vulgare. Golden Chain. 20'-25'	Golden yellow flowers
	in June. A useful small tree.	35
	3 to 4 ft	.50
	4 to 5 ft	.75
LARIX euro	2 to 3 ft	pecially good for spring
	effects. Grows rapidly into a symmetric symmet	etrical tree.
	2 to 3 ft., B. & B	75
laricina.	American Larch. 40'-50'	., 5
	2 to 3 ft., B. & B	.50
1 . 1	American Larch. 40'-50' 2 to 3 ft., B. & B	.75
ieptoiepi	turning bright orange in autumn. A	beautiful lawn tree
	2 to 3 ft B. & B	.70 6.00
	3 to 4 ft., B. & B	.90 8.00
I DODDDDD	2 to 3 ft., B. & B	1.00
LESPEDEZA	A bicolor. Bush Clover. 5'-6' Rose a Aug. Slender graceful shrub—attrac	and white flower—July-
	1½ to 2 ft	30 2.50
	2 to 3 ft	.35 3.00
	3 to 4 ft	.40 3.50
formosa	1½ to 2 ft	White flowers Aug-Sept.
	2 yr(Desmodium penduliflorum.) Purp	. 30
ioimosa	Rosy purple flower conspicuous in	Sept. Attractive shrub.
	2 yr	.30 2.70
LIGUSTRU	Mamurense Amur Primet 14'-15' Ha	If-evergreen very hardy
	1½ to 2 ft	.15 1.00 8.00
	2 to 3 ft	.20 1.50 10.00
	1½ to 2 ft. 2 to 3 ft. 5 to 4 ft.	.30 2.50
ibota. Il	bota Privet. 9'-10' Good dense habit, f	lowers and fruits freely.
	Decorative black herries—very hardy	1
	1½ to 2 ft	.20 1.50 10.00 .25 2.00 15.00
	2 to 3 ft	.25 2.00 15.00 .30 2.20
	4 ft	.35 3.00
ibota re	egelianum. True Spreading Regal I	
	splendid low dense hedge—also goo	od in shrubbery or ever-
	green plantings. Practically an everg	green in sheltered places.
	1½ to 2 ft	.25 2.00 15.00 .30 2.50 20.00
	2 to 2½ ft	.30 2.50 20.00 .35 3.00 25.00
	2/2 to J It	5.00 25.00

14 DECIDOOUS TREES, SHROBS AND VINES	
LIGUSTRUM ibota regelianum. (from seed)	Der 100
LIGOST KOPT INDIA TEGERATURI. (TOTAL SEED)	1 61 100
1½ to 2 ft	
2 to 3 ft	
3 to 4 ft	\$20.00
Lodonco Donart Privat 21/1 Compact dwarf form for hos	dainac
Lodense. Dwarf Privet. 2½' Compact dwarf form for her 15 in., Sheared Globes	ıgıııgs.
15 in., Sheared Globes	
18 in., Sheared Globes	
ovalifolium. California Privet. 9'-10' Most popular hedge	plant.
Per 10 Per 100 l	
12 to 18 in	25.00
$1\frac{1}{2}$ to 2 ft	35.00
2 to 3 ft	50.00
	65.00
1.50 7.50	03.00
3 to 4 ft	
ovalifolium. GLOBE FORM—Sheared. Each Per 10	Per 100
10 in. diam	55.00
12 in. diam	00.00
ovalifolium. PYRAMIDAL FORM—Sheared.	
Medium, 2 ft	
ovalifolium. STANDARD, TREE FORM—Sheared heads.	
1 yr	65.00
2 yr., 12 in. head, first class 1.00 9.00	
3 yr., 15 in. head, extra	
5 yl., 15 lil. liead, extra	
ovalifolium aureum. Golden Privet. 8'-9' Grows rather slo	owly.
12 to 15 in	15.00
15 to 18 in	
$1\frac{1}{2}$ to 2 ft	7 1
vulgare. European Privet. $10'-12'$ Creamy-white flowers, Ju $1\frac{1}{2}$ to 2 ft	ine-July.
1½ to 2 ft	
2 to 3 ft	18.00
3 to 4 ft	
4 to 5 ft	
LIQUIDAMBAR styraciflua. Sweet Gum. 50'-60' One of best	4 £
	trees for
autumn color Grows well in moist places. Has con	rky bark
autumn color. Grows well in moist places. Has cor	rky bark
autumn color. Grows well in moist places. Has con	rky bark
autumn color. Grows well in moist places. Has con	rky bark
autumn color. Grows well in moist places. Has con	rky bark
autumn color. Grows well in moist places. Has con	rky bark
autumn color. Grows well in moist places. Has con	rky bark
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprints to 4 ft	rky bark ng.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprints to 4 ft	rky bark ng.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprints to 4 ft	rky bark ng.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprints to 4 ft	rky bark ng.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	rky bark ng. grower.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprints of the start of	grower.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring to the start of	grower.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	grower.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	grower.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	grower.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	grower.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	grower.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	grower.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprints of the color of	grower. peculiar ist place.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring to the start of	grower. peculiar ist place.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the start of the	grower. peculiar st place.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the start of the	grower. peculiar st place.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the start of the	grower. peculiar st place.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the start of the	grower. peculiar st place.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring to the first start of the first start o	grower. peculiar ist place. flowers, 25.00 usly.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprint of the color of	grower. peculiar st place. flowers, 25.00 usly. 15.00
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the star of the star	grower. peculiar ist place. flowers, 25.00 usly.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring to 4 ft	grower. peculiar ist place. flowers, 25.00 usly. 15.00 20.00
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring to 4 ft	grower. peculiar ist place. flowers, 25.00 usly. 15.00 20.00
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring to 4 ft	grower. peculiar ist place. flowers, 25.00 usly. 15.00 20.00
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the star of the star	grower. peculiar ist place. flowers, 25.00 usly. 15.00 20.00
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the star of the star	grower. peculiar st place. flowers, 25.00 usly. 15.00 20.00 late fall.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the star of the star	grower. peculiar st place. flowers, 25.00 usly. 15.00 20.00 late fall. flower,
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the star of the star	grower. peculiar st place. flowers, 25.00 usly. 15.00 20.00 late fall. flower,
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early spring the star of the star	grower. peculiar ist place. flowers, 25.00 usly. 15.00 20.00 late fall. flower, habit.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	grower. peculiar st place. flowers, 25.00 usly. 15.00 20.00 late fall. flower, habit. 20.00
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	grower. peculiar ist place. flowers, 25.00 usly. 15.00 20.00 late fall. flower, habit.
autumn color. Grows well in moist places. Has cor and star-shaped leaves—transplants best in early sprin 3 to 4 ft	grower. peculiar st place. flowers, 25.00 usly. 15.00 20.00 late fall. flower, habit. 20.00

DECIDUOUS TREES, SHRUBS AND VINES 15
LONICERA japonica (brachypoda). Japanese Honeysuckle. 15'-20'
Rapid grower and blooms freely from June to Sept. Useful vine for covering steep banks. Almost evergreen.
3 yr\$.30 \$2.50 \$20.00
halliana. Hall Japanese Honeysuckle. 15'-25' A quick growing vine. Blooms freely, deliciously fragrant. Almost evergreen.
vine. Blooms freely, deliciously fragrant. Almost evergreen. 2 yr
heckrotti. Everblooming Honeysuckle. 15'–20' Flowers purple-rose
outside, yellow inside, July Sept. A useful vine for lattice.
2 yr
maacki. Amur Honeysuckle. 8' 9' Large white flowers—June. Small
scarlet berries persisting until mid-winter. Rather loose habit.
2 to 3 ft
2 to 3 ft
maacki podocarpa. Late Honeysuckle. 8'-9' Smaller pinkish flowers,
better fruit than preceding, holds leaves longer.
2 to 3 ft
morrowi. Morrow Honeysuckle. 7'-8' Spreading habit, yellow, May-
June. Red fruits, good bluish-green foliage. Most desirable.
We also have an upright form of this—same price.
2 to 3 ft
2 to 3 ft25 2.00 15.00 3 to 4 ft30 2.50 4 to 5 ft40 3.50
reticulata aurea. Japanese Golden Honeysuckle. 15'-20' Leaves
veined golden yellow. A rampant growing vine. 2 yr
ruprechtiana. Manchurian Honeysuckle. 8'-9' Creamy white flowers,
June. Berries red. sometimes orange—narrow leaves.
2 to 3 ft
2 to 3 ft
sempervirens. Trumpet Honeysuckle, 15'-20' Bright scarlet showy
flowers, July Sept. A quick growing vine. 2 yr
standishi. Standish Honeysuckle. 4'-5' Blush flowers, fragrant—
April. Scarlet fruits, holds foliage well.
1½ to 2 ft
tatarica. Tatarian Honeysuckle. (Pink, red and white.) 9'-10'
Elauras and fruit freely produced A most adeptable shruh
2 to 3 ft
4 to 5 ft
2 to 3 ft
1½ to 2 ft
xylosteum. Fly Honeysuckle. 6'-8' Fragrant creamy white flowers,
May. Large dark red showy berries.
$1\frac{1}{2}$ to 2 ft
2 to 3 ft
followed by bright red fruits. For banks or retaining walls.
1½ to 2 ft
2 to 3 ft
fruitful than preceding, otherwise similar in habit.
$1\frac{1}{2}$ to 2 ft
2 to 3 ft

Each Per 10 Per 100
MAGNOLIA glauca. Sweet Bay. 15'-20' Delightfully fragrant creamy
flowers in May, leaves nearly evergreen, prefers moist location.
1½ to 2 ft., B. & B
2 to 2½ ft., B. & B
$2\frac{1}{2}$ to 3 ft., B. & B
Soulangeana. Saucer Magnolia. 15'-18' Large purplish pink and
white flowers—May. Best transplanted in early spring.
tripetala. Umbrella Tree. 30'-40' Very large leaves—fragrant white
flowers in late spring. Seed pods are pink.
3 to 4 ft
4 to 5 ft
6 to 7 ft
MALUS atrosanguinea. Carmine Crab. 10'-15' Red flowers.
4 to 5 ft
5 to 6 ft
coronaria. Sweet Crab. 15'-20' Fragrant blush pink flowers in April.
4 to 5 ft
5 to 6 ft
6 to 7 ft 1.50
6 to 7 ft
with rose-colored buds and white flowers in early spring.
4 to 5 ft
5 to 6 ft
ioensis plena. Bechtel Crab. 10'-15' Large double pure pink fragrant
flowers on long stalks. Vigorous grower—last to flower.
5 to 4 ft
4 to 4½ ft
4½ to 5 ft
5 to 6 ft
5 to 6 ft
3 to 4 ft
scheideckeri. Scheidecker Crab. 10'–15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head.
scheideckeri. Scheidecker Crab. 10'–15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'–15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft
Scheidecker Scheidecker Crab 10'-15' Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal head. 4 to 5 ft

	Per 10 P	
PHILADELPHUS Bouquet Blanc. White Bouquet Mo	ock Oran	ge. 3'
Low dense habit. Blooms freely, May-Jun		leaves.
1½ to 2 ft	3.00	
2 to 3 ft	3.50	
coronarius. Mock Orange. 9'-10' White fragrant flo		v-Iune
		y-june.
2 to 3 ft	2.50	
coronarius aureus. Golden Leaf Mock Orange. 4'-		f form.
15 to 18 in	3.00	
$1\frac{1}{2}$ to 2 ft	3.50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4.50	
coronarius grandiflora. Large Flowering Mock Ora		
2 to 3 ft	2.00	
2 to 3 ft	3.50	20.00
gordonianus (Lowisi) Gordon Moch Oranda 10'	19' Flor	ara in
gordonianus (Lewisi.) Gordon Mock Orange. 10' June–July. Slightly fragrant—blooms freely	-12 F10	WEIS III
2 to 3 ft	2.00	
2 to 3 ft	2.50	
4 to 5 ft40	3.50	
lemoinei. Lemoine Mock Orange. 4'-5' Good con	mpact hab	it, frag-
rant semi-double flowers produced along sle	nder brand	ches.
$\frac{1}{2}$ to 2 in	2.00	
$\frac{2}{2}$ to $\frac{2}{2}$ it	3.00	
3 to 4 ft	3.50	
1½ to 2 in	e flowering	g.
2 to 3 ft	2.00	
3 to 4 ft	2.50	
4 to 5 ft	3.50	da.
pubescens. Houry mock Orange. 12 -15 Large with	SCEITHESS	lowers.
2 to 3 ft	2.00 3.00	
5 (0 4 It		1 11
virginalis. Virginal Mock Orange. 7'-8' Beau flowers produced intermittently all summer.	Most d	-double esirable
3 ft	. 10051 (1	e sir a Dic.
PHOTINIA villosa. Red Berried Photinia. 8'-9' Flowe	wa vidaita Iv	no rich
scarlet berries profusely borne in autumn.	Splendid	foliage.
2 to 3 ft	4.50	
PHYSOCARPUS opulifolius. Ninebark. 9'-10' Crean		Iune-
good for shade A good vigorous shrub—	easily grov	vn.
1½ to 2 ft	1.50	
7 to 3 ft	2 (1(1	15.00
3 to 4 ft	2.50	20.00
4 to 5 ft	3.00	
opulifolius aureus. Goldleaf Ninebark. 9'-10' Ye	llowish fo	liage.
2 to 3 ft	2.00	
3 to 4 ft	2.50	
PIERIS mariana. Stagger Bush. 5'-6' Waxy white flo	owers, Ma	y-June.
1½ to 2 ft	3.50	
2 to 2½ ft		

18 DECIDUOUS TREES, SHRUBS AND VINES Each Per 10 Per 100 PLATANUS orientalis. European Plane Tree. 70'-80' A good tree for park and street use-quick grower, stands city conditions. 8 to 10 ft..... \$1.50 \$13.50 18.50 2.00 2.25 3.00 3.25 4.00 21.00 28.50 POPULUS alba. White Poplar. 60'-80' Rapid grower, rather attractive 8 to 10 ft..... 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in 1.25 balsamifera. Balsam Poplar. 60'-70' Has fragrant buds in spring. Broad leaves—commendable. 7.00 8.50 11.00 bolleana. Bolleana Poplar. 50'-60' Leaves white underneath, similar columnar character to Lombardy poplar-gray bark. 7.00 8 ft 6 to .85 canescens. monilifera. Carolina Poplar. 75'-90' A rapid grower, succeeding even on dry places and near seashore. Has spreading roots. \$25.00 30.00 60.00 90.00 11.00 15.00 nigra italica. Lombardy Poplar. 60'-80' Tall spire-like character—is valued for screens and architectural effects. 3.50 30.00 5.00 45.00 8.00 75.00 10.00 simoni. Simon Poplar. 25'-30' A hardy small tree. 10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in....... 1.35 Volga Poplar. Has similar upright growth to Lombardy. 8 to 10 ft., 1½ to 1¾ in....... 1.00 10 to 12 ft., 1¾ to 2 in....... 1.25 POTENTILLA fruticosa. Shrubby Cinquefoil. 3'-4' Blooms profusely, PRUNUS avium plena. Double Flowering Cherry. 20'-25' White. 4 to 5 ft 3.00 5 to 6 ft 4.50 Double Pink Japan Cherry. 18'-20'
4 to 5 ft.....

Double Red Japan Cherry 18'-20'

5 to 6 ft.....

3.50

3.50

5.00

Fach Per 10 Per 100

Each Per 10 Per 100
PRUNUS maritima. Beach Plum. 9'-10' Small white flowers, April—Purple fruits—splendid subject for sandy soil or near seashore.
3 to 4 ft
cerasifera pissardi. Purple Leaf Plum. 12'-15' Valued chiefly because of purplish foliage. Pruned every year for best color effect. 2 to 3 ft
4 to 5 ft
serrulata. Oriental Cherry. 25'-30' White, semi-double—May.
1½ to 2 ft
subhirtella pendula. Weeping Japan Cherry. 12'-15' Most beautiful and graceful tree covered with pink blossoms in early spring.
PYRAMIDAL FORM
4 to 5 ft., B. & B
STANDARD FORM
1 year head, B. & B
tomentosa. Nanking Cherry. 6'-7' A splendid shrub, has pink buds expanding to white flowers—small red fruits relished by birds.
2 to 3 ft
2 to 3 ft
4 to 5 ft
April-May. Handsome and useful.
2 to 3 ft
3 to 4 ft
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage.
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage.
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits.
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50 4 to 6 ft .40 3.50
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50 4 to 6 ft .40 3.50 PUERARIA thunbergiana. Kudzu Vine. 40'-50' Growth remarkably rapid. Purple flowers in August. 1 yr .25 2.00
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50 4 to 6 ft .40 3.50 PUERARIA thunbergiana. Kudzu Vine. 40'-50' Growth remarkably rapid. 1 yr .25 2.00 2 yr .30 2.50
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50 4 to 6 ft .40 3.50 PUERARIA thunbergiana. Kudzu Vine. 40'-50' Growth remarkably rapid. 1 yr .25 2.00 2 yr .30 2.50 QUERCUS alba. White Oak. 80'-100' The noblest of them all—long lived, slow growth. Rich purplish autumn color.
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50 4 to 6 ft .40 3.50 PUERARIA thunbergiana. Kudzu Vine. 40'-50' Growth remarkably rapid. Purple flowers in August. 1 yr .25 2.00 2 yr .30 2.50 QUERCUS alba. White Oak. 80'-100' The noblest of them all—long lived, slow growth. Rich purplish autumn color. 4 to 6 ft 1.35 12.00 6 to 8 ft 1.65 15.00 8 to 10 ft 2.25 20.00
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50 4 to 6 ft .40 3.50 PUERARIA thunbergiana. Kudzu Vine. 40'-50' Growth remarkably rapid. Purple flowers in August. 1 yr .25 2.00 2 yr .30 2.50 QUERCUS alba. White Oak. 80'-100' The noblest of them all—long lived, slow growth. Rich purplish autumn color. 4 to 6 ft 1.35 12.00 6 to 8 ft 1.65 15.00 8 to 10 ft 2.25 20.00
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50 4 to 6 ft .40 3.50 PUERARIA thunbergiana. Kudzu Vine. 40'-50' Growth remarkably rapid. 1 yr .25 2.00 2 yr .30 2.50 QUERCUS alba. White Oak. 80'-100' The noblest of them all—long lived, slow growth. 6 to 8 ft 1.35 12.00 6 to 8 ft 1.65 15.00 8 to 10 ft 2.25 20.00 10 to 11 ft., 1½ to 1½ in 2.75 25.00 11 to 12 ft., 1½ to 1½ in 3.50 bicolor. Swamp White Oak. 75'-90' Best in low damp places.
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft .65 6.00 6 to 8 ft .85 7.50 PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits. 3 to 4 ft .30 2.50 .40 3.50 PUERARIA thunbergiana. Kudzu Vine. 40'-50' Growth remarkably rapid. 1 yr .25 2.00 .250 2 yr .30 2.50 QUERCUS alba. White Oak. 80'-100' The noblest of them all—long lived, slow growth. 4 to 6 ft 1.35 12.00 6 to 8 ft 1.65 15.00 8 to 10 ft 2.25 20.00 10 to 11 ft., 1½ to 1½ in 2.75 25.00 11 to 12 ft., 1½ to 1½ in 3.50 3.50 bicolor. Swamp White Oak. 75'-90' Best in low damp places. 4 to 6 ft 1.35 12.00 6 to 8 ft 1.65 15.00
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage. 4 to 6 ft

20 DEGIDOOGS TREES, STROBS MAD VITAES
Each Per 10 Per 100
QUERCUS cerris. Turkey Oak. 60'-70', Grows quickly—pyramidal.
6 to 8 ft \$1.25 \$11.00
8 to 10 ft
8 to 10 ft., 1½ to 1½ in 2.00 18.50
8 to 10 ft. 1.50 13.50 8 to 10 ft., 1¼ to 1½ in. 2.00 18.50 10 to 12 ft., 1½ to 1¾ in. 2.50 23.50 10 to 12 ft., 3 in 6.00
coccinea. Scarlet Oak. 75'-90' Most striking autumn colors, tal
stately grower, deeply cut leaves—succeeds in dry places.
4 to 6 ft
8 to 10 ft., 1½ to 1½ in 2.50
palustris. Pin Oak. 75'-90' Takes most kindly to cultivation, prefer
moist soil but is very adaptable. Particularly fitting as a stree
tree. Good autumn effects.
6 to 8 ft
9 ft 11/ to 11/ in 2.35 22.00
8 to 9 ft., 1½ to 1¾ in 2.75 26.00
9 to 10 ft., 1 ½ to 2 in 3./5 33.50
10 to 12 ft., 2 to 2½ in 4.50 43.50 12 to 13 ft., 2½ to 2½ in 5.25 50.00
- 13 to 14 ft., 2½ to 3 in 6.00
13 to 14 ft., 3 in 7.00
rubra. Red Oak. 75'-90' Comparatively quick growth, rich autumn coloring in greens and reds—unfolding leaves are pink.
6 to 8 ft 1.50
8 to 9 ft., 1¼ to 1½ in 2.25 9 to 10 ft., 1½ to 1¾ in 2.75
9 to 10 ft., 1½ to 1¾ in 2.75 9 to 11 ft., 1¾ to 2 in 3.50
10 to 12 ft., 2 to 2½ in 4.25
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in 5.00
12 to 14 ft., 2½ to 3 in 6.00 14 to 16 ft., 3 in 7.00
, , , , , , , , , , , , , , , , , , , ,
RHAMNUS cathartica. Common Buckthorn. 9'-10' Dark green leaves black berries. Valuable background shrub—very hardy.
2 to 3 ft
3 to 4 ft
4 to 5 ft
caroliniana. Carolina Buckthorn. 15'-20' Shiny dark green leaves
berries red changing to black—good shrub for heavy planting
2 to 3 ft
3 to 4 ft
5 to 6 ft
frangula. Glossy Buckthorn. 8'-9' Berries red changing to black.
2 to 3 ft
3 to 4 ft
RHODOTYPOS kerrioides. Jetbead. 4'-5' Fresh green foliage, pure white flowers, May-June—shining black bead-like berries all winter.
1½ to 2 ft
2 to 3 ft
3 to 4 ft
RHUS canadensis (aromatica.) Fragrant Sumach. 4'-5' Clusters of small
yellow flowers, April-May. Attractive in June when covered with coral-red fruits. Withstands drought. Aromatic foliage.
with coral-red fruits. Withstands drought. Aromatic foliage. $1\frac{1}{2}$ to 2 ft
2 to 3 ft

	DECIDUOUS TREES, SHRUBS AN	ID A	INES	21
DITUE	E Laving Cl. 1 Laving Cl.	lach	Per 10	Per 100
KHUS copal	lina. Shining Sumach. 12'-13' Shows in solutions	wy cri	mson fru	its, good
	autumn coloring. Showy in poor, a	20	uations.	¢1000
	12 to 18 in	25	31.50	\$10.00
	2 to 3 ft	30	2.00	15.00
	3 to 4 ft	35	3.00	
cotinus.	Smoke Tree. Purple Fringe. 10'	_19'	Fastbary	nurnlich
cotinus.	flowers, June-July. Good foliage, b	rilliant	autumn	coloring
	2 to 3 ft	.65	5.50	color irig.
	3 to 4 ft	.85	7.00	
	2 to 3 ft	1.00	8.50	
glabra.	Smooth Sumach 10'-12' Crimson	fruits	in bunch	nes—rich
	autumn coloring Theirs in page of	-11-		
	2 to 3 ft	.25	2.00	15.00
	3 to 4 ft	.30	2.50	20.00
	6 to 7 ft	.35	3.00	25.00 30.00
alabua	laciniata. Cutleaf Smooth Sumach	.40	5.30 5' Dalia	30.00
glabra	leaves—grows slowly. Striking crim	. 4 -	o Denca	llery cut
	1½ to 2 ft	.35	didiiii co	ioiiiig.
	2 to 3 ft	.40		
	1½ to 2 ft 2 to 3 ft	.50	4.50	
typhina.	Staghorn Sumach. 15'-18' Pic	turesq	ue habit-	-brilliant
	autumn effect. Useful for park and ge	eneral	landscape	planting.
	2 to 3 ft	.25	2.00	15.00
	3 to 4 ft	.30	2.50	20.00
	4 to 5 ft	.35	3.00	25.00
	5 to 6 ft	.40	3.50	30.00
typhina	laciniata. Cutleaf Staghorn Sumach	. 14'	-15' Leav	es finely
	cut giving attractive feathery appearar	nce. B	Filliant in	autumn.
	2 to 3 it	.25	3.00	25.00
	2 to 3 ft	40	3.50	30.00
RIBES odo	ratum (aureum.) Golden Currant.	7' . 8	Fragrai	at vellow
TUBES OUG	flowers in May. Useful for plantin	g und	ler "leggy	" shrubs.
	2 to 3 ft	.30	2.50	
	3 to 4 ft	.35	3.00	
	flowers in May. Useful for plantin 2 to 3 ft	.40	3.50	
ROBINIA ge	ordoniana. Gordon Currant. 5'-6'	Puri	plish rose	flowers,
	May—black fruits. 2 to 3 ft	7.0		
	2 to 3 ft	.30		
1 1 .	3 to 4 ft		1 1	1 1
hispida.	Rose Acacia. 5'-6' Attractive rosy Soon develops into a mass. Good to	pink I	lowers, IV	lay-June.
	3000 develops into a mass. Good i	70	2.50	20.00
	1½ to 2 it	35	3.00	25.00
	1½ to 2 ft	.40	3.50	30.00
nseudac	acia. Locust. 60'-80' Has fragrant	whit	e flowers	in May
pseduae	6 to 8 ft	.60	C 110 W C15	III Iviay.
ROSA bland	la. Meadow Rose. 4'-5' Pink, May. A		t thornless	red bark.
	1½ to 2 ft	30	2.50	20.00
	2 to 2½ ft	.35	3.00	25.00
	2½ to 3 ft	.40	3.50	
humilis.		une.	Dull gree	n leaves.
	2 ft	.30		
lucida (v	virginiana.) Virginia Rose. 5'-6' Pir	ık, Jur	ne. Red d	ecorative
	fruits. Thick shiny leaves. Useful	for se	ashore.	
	15 to 18 in	.25	2.00	20.00
	$1\frac{1}{2}$ to 2 ft	.30	2.50	20.00
	2 to 3 ft	.35	3.00 3.50	
	J 10 4 It	.40	3.50	

22	DECIDOOOS TREES, STIRODS	AND V	11/17/2	
		Each	Per 10	Per 100
ROSA mult	iflora japonica. Japanese Rose.		White, June	
	ous, free flowering and fragrant.		ed fruits.	
	1½ to 2 ft	\$.25	\$2.00	\$15.00
	2 to 3 ft	.30	2.50 3.00	20.00
				1 1
nitida.	Bristly Rose 3' Deep pink, June and general mass planting—good			ng Danks
	15 to 18 in		2.00	15.00
	1½ to 2 ft	.30 .35	2.50	20.00
	2 to 3 ft	.35	3.00	25.00
	3 ft	.40	3.50	
palustri	s (Carolina.) Swamp Rose. 6'-7'	Pink, I	2.00	
	2 to 3 ft	.30	2.50	
	3 ft	.35	3.00	
rubigino	osa. Sweet Briar. 5'-6' Bright foliage with aromatic odor.	pink flo	wers, June	. Good
	12 to 18 in	.25	2.00	15.00
	1½ to 2 ft	.30	2.50 3.00	
	2 to 3 ft	.35	3.50	
rubrifoli	a (ferruginea.) Redleaf Rose. 5'- leaves and bark—good winter sul	6' Has		plish-red
	1½ to 2 ft	-	2.50	
	2 to 3 ft	.35	3.00	
	3 to 4 ft	.40	3.50	
rugosa.	Red Rugosa Rose. 4'-5' Hands flowers, June-Sept. Rich green Useful either in shrubbery border	foliage ar	nd large re	ep pink d fruits.
	11/2 to 2 ft	30	2.50	20.00
	2 to 3 ft	.35	3.00	25.00
	3 to 4 ft	.40	3.50	30.00
	4 ft		4.00	Ct
rugosa a	alba. White Rugosa Rose. 4'-5'			
	$1\frac{1}{2}$ to 2 ft	.35	3.00 3.50	25.00 30.00
	3 to 4 ft	.45	4.00	00100
rugosa (Conrad F. Meyer. 10'-12' Hands	ome pink	hybrid.	
	2 to 3 ft		4.50	
rugosa l	Nova Zembla. 10'-12' A white h	ybrid for	n.	
	2 to 3 ft		4.50	
setigera.	Prairie Rose. 5'-6' Tall arching	branches	, vigorous	growth.
	Handsome foliage, deep rose flow	ers in clu	sters, June	-July.
	1½ to 2 ft	.25	2.00	15.00
	2 to 3 ft	.35	2.50 3.00	20.00
spinosis	sima. Scotch Rose. 3'-4' A dai			nnact
opinionic	branches covered with soft thorns.	Has attra	active small	foliage.
	12 to 15 in	.30		
	15 to 18 in	.40 .50		
wichura	$1\frac{1}{2}$ to 2 ft		seful for	overing
wichula	banks or boulders. Thick shining	g green fo	oliage.	overing
	1½ to 2 ft	.25	2.00	15.00
	2 to 3 ft	.30	2.50	20.00
	3 to 4 ft	.35	3.00	25.00

Roses

50c. each; 4.50 ten; 40.00 hundred

HYBRID TEA or MONTHLY BLOOMING ROSES

Amalie de Grieff, light pink. Augustus Hartman, red. Betty, yellow shaded pink. Columbia, ďark pink. Constance, yellow. Crimson Queen, red. Dora Hansen, light pink. Duchess of Wellington, yellow. Etoile de France, red. Florence Pemberton, light pink. Gen. McArthur, red. George C. Waud, red. Gruss an Teplitz, red. Gustav Grunevald, dark pink. Harry Kirk, yellow. Hoosier Beauty, red. H. V. Machin, red. Jonkheer J. L. Mock, dark pink. Kaiserine A. Victoria, white. Killarney Queen, dark pink. La Detroit, pink. Lady Alice Stanley, dark pink. Lady Hillingdon, yellow. Lady Pirrie, yellow shaded pink. Lady Ursula, light pink.

La Tosca, light pink. Los Angeles, yellow shaded pink. Louis Catherine Breslau, copper. Mad. A. Chatenay, pink. Mad. Butterfly, light pink. Mad. C. Testout, dark pink. Mad. Edmee Metz, light pink. Mad. E. Herriot, yellow, sh. pink. Mad. Jules Bouche, white. Madam Ravary, yellow. Milady, red. Miss Cynthia Forde, dark pink. Miss Lolita Armour yellow, sh. pink Mrs. Aaron Ward, yellow. Mrs. A. Riccardo, pinkish vellow. Mrs. A. R. Waddell, yel., sh. pink. Mrs. Charles Russell, dark pink. Mrs. W. C. Miller, dark pink. Natalie Bottner, vellow. Ophelia, light pink. Radiance, dark pink. Red Radiance, red. Souv. de C. Pernet, yel. \$1.00 ea. White Killarney, white. W. R. Smith, white.

HYBRID PERPETUAL or JUNE ROSES

50c. each; 4.00 ten; 35.00 hundred

Frau Karl Druschki, pure white. George Ahrends, light pink. Magna Charta, bright pink. Mrs. John Laing, clear pink Paul Neyron, rose pink. Ulrich Brunner, deep red.

POLYANTHA ROSES or BABY RAMBLERS

50c. each: 4.50 ten: 40.00 hundred

Edith Cavell, crimson. Geo. Elgar, yellow. Mrs. Cutbush, pink. Orleans, red. White Baby Rambler. Red Baby Rambler. Lafayette, red. Yvonne Rabier, white.

CLIMBING ROSES or RAMBLERS

2 to 3 ft., 35c. each; 3.00 ten; 25.00 hundred 3 to 4 ft., 50c. each; 4.50 ten; 40.00 hundred

Crimson Rambler, crimson. Gardenia, yellow.

Hiawatha, single red. Paul's Scarlet Climber.

2 to 3 ft., 30c. each: 2.50 ten: 20.00 hundred 3 to 4 ft., 35c. each: 3.00 ten: 25.00 hundred

Dorothy Perkins, pink. Dorothy Perkins, white. Excelsa, crimson

24 DECIDOOUS TREES, SHRUBS A	AND V	INES	
RUBUS odoratus. Flowering Raspberry. 5'-			Per 100
flowers produced all summer—good	for cov	ering sha	dy banks.
2 to 3 ft	\$.25	\$2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.35		at = 1 - 1-
SALIX babylonica. Babylon Weeping Willow appropriate for waterside planting—	–long pe	endulous	branches.
4 to 6 ft	.60 .75	5.00	
8 to 10 ft	1.00	0.00	
CHINESE FORM			
4 to 6 ft	.60	5.00	
6 to 8 ft	.75 1.00	6.00 8.50	
babylonica aurea. Russian Golden Weeping			50' U.s
golden-yellow bark—similar habit t	o preced	ling.	00 1145
4 to 6 ft	.65 .80	6.50	
8 to 10 ft	1.00	8.50	
10 to 12 ft		11.00	
blanda (dolorosa.) Wisconsin Weeping Will	low. 40'	-50' Ver	y hardy.
4 to 6 ft	.50	0	
6 to 8 ft	.65 .85	5.50 7.00	
discolor. Pussy Willow. BUSH FORM. 1			oble for
spring effects—will succeed in dry	as well a	as wet pla	ices.
3 to 4 ft	.30 .35	2.50 3.00	20.00 25.00
6 to 8 ft	.45	4.00	30.00
8 to 10 ft	.50	4.50	
elegantissima. Thurlow Weeping Willow. 60	0'-70' Vi	igorous sp	oreading.
4 to 6 ft	.45	4.00	
6 to 8 ft	.60	5.50	
incana (rosmarinifolia.) Rosemary Willow. texture in foliage effects—narrow le	12′–15 aves silv	6′ Good ery white	for fine beneath.
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30 .35	2.50	20.00
pentandra. Laurel Leaf Willow. 20'-30' make this a worthwhile background	Shining	dark gree	n leaves
3 to 4 ft	.30	2.50	20.00
4 to 6 ft	.35	3.00	25.00
6 to 8 ft	.45	4.00	50.00
8 to 10 ft	.60	5.50	50.00
salamoni. Salamon Weeping Willow. 60' of all "weeping willows."	-70′ T	he most v	vigorous
6 to 8 ft 8 to 10 ft	.50 .75		
vitellina. Golden Willow. 25'-30' Valuab being bright golden. Silky leaves a	ole for w		
3 to 4 ft	.30	2.50	
4 to 5 ft	.35	3.00	25.00
5 to 6 ft	.40	3.50	30.00
6 to 8 ft	.50	4.00	35.00

Each Per 10 Per 100 SALIX vitellina britzensis. Bronze Willow. 20'-25' Particularly good when used with preceding variety—has reddish bronze bark. to 3 ft.....\$.20 3 to 4 ft..... .25 \$2.00 4 to 6 ft.... .35 3.00 .45 SAMBUCUS canadensis. American Elder. 8'-9' Fine for swampy places. Fragrant flowers, June-July. Black fruits enjoyed by birds.
 1½ to 2 ft...
 .25

 2 to 3 ft...
 .30

 3 to 4 ft...
 .35
 2.00 2.50 3.00 .40 3.50 .45 4.00 canadensis acutiloba. Cutleaf American Elder. 8'-9' Leaves finely cut. 1½ to 2 ft..... .25 2.00 to 3 ft..... .30 2.50 to 4 ft..... 3.00 .35 canadensis aurea. Golden Elder. 10'-12' Conspicuous yellow foliage. 1½ to 2 ft..... .25 .30 2.50 .35 3.00 Scarlet Elder. 10'-12' Flowers in April-May. Bright red pubens. fruits ripen in June-very attractive. 2 to 3 ft35 3 to 4 ft 3.00 4 to 5 ft..... .40 3.50 racemosa. European Red Elder. 8'-10' Bright red berries in June. .25 2.00 .30 2.50 .35 3.00 4 to 5 ft..... .40 SOPHORA japonica. Pagoda Tree. 30'-40' White flowers in late summer. 10,00 1.50 13.50 SORBARIA aitchisoni. Kashmir False Spirea. 4'-5' Graceful compound foliage—flowers creamy white, July-Sept. 3.00 3 to 4 ft..... .40 3.50 arborea glabrata. Smooth Tree Spirea. 10'-12' Handsome flower spikes, July Aug. 4 ft. .50 4.50 sorbifolia. Ural False Spirea. 4'-5' Fluffy white flowers, June-Aug. \$25.00 3 to 4 ft..... 3.50 .40 SORBUS aucuparia. European Mountain Ash. 25'-30' A valuable tree on a small lawn-the orange scarlet berries are quite striking and are a favorite food of robins. .85 1.25 SPIRAEA alba (salicifolia.) Meadow Spirea. 5'-6' Upright habit, narrow leaves. Large fluffy spikes of white flowers. June-Aug. 1.50 2.00 3 to 4 ft..... .30 arguta.

20 22020000 11(225) 511(025)			
	Each	Per 10	Per 100
SPIRAEA billiardi. Billiard Spirea. 5'-6'			fy flower
spikes, July-Oct. Valuable for o	dry places		
1½ to 2 ft	\$.20	\$1.50	
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
bumalda. Bumalda Spirea. 3' Light pi	nk flower	s, July-S	ept.
12 to 18 in	.30	2.50	\$20.00
$1\frac{1}{2}$ to 2 ft	.35	3.00	25.00
2 to $2\frac{1}{2}$ ft	.40	3.50	
bumalda Anthony Waterer. Waterer Spi-	rea. 3'	Deeper	rose pink
than preceding—very free flower	ing all su	mmer.	
12 to 15 in 15 to 18 in 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 ft	.25	2.00	15.00
15 to 18 in	.50	2.50	20.00
2 to 21/4 ft	40	3.00	25.00 30.00
$\frac{2^{1/2}}{2^{1/2}}$ to $\frac{3}{2^{1/2}}$ ft	.45	4.00	30.00
3 ft	.55	5.00	
fortunei (callosa rosea). Fortune Spirea.	3' Pink	flowerin	g—vigor-
ous form—young growth red.			88
2 to $2\frac{1}{2}$ ft		2.50	
froebeli. Froebel Spirea. 4' Similar to V	Waterer, b	ut more	vigorous
and the flowers are a lighter shad	de of pink	τ.	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$.25	2.00	
2 to 2½ ft	.30	2.50	
japonica (callosa alba). Japanese Spire Purplish-green foliage when your 12 to 15 in	ea. 3'	White,	une-July.
Purplish-green foliage when your	ng. Bloc	ms freely	7.
12 to 15 in	.30	2.50	20.00
15 to 18 in		3.00	25.00
nipponica rotundifolia. Big Nippon Spi	till lata f	-9′ Whi	te, June—
good dark green leaves persisting	till late 18	2.50	
1½ to 2 it	.30	3.00	25.00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$.40	3.50	23.00
opulifolia (See Physocarpus. Page 17.)	*10	3.30	
prunifolia. Bridal Wreath. 7'-8' White	Marr	Eros flo	vvv orien or
handsome dark green foliage turr	ing oran	ge in aut	imn
2 to 3 ft	.35	3.00	25.00
1½ to 2 ft	.40	3.50	20100
reevesiana. Reeves Spirea. 7'-8' Pure	white, d	ouble. N	Iav-June.
Graceful arching habit—retains le	aves till la	ate.	,
$1\frac{1}{2}$ to 2 ft	.25	2.00	
1½ to 2 ft	.30	2.50	
3 to 4 ft	.35	3.00	
thunbergi. Thunberg Spirea. 4'-5' Slend	ler archin	g branch	es clothed
with pure-white flowers, April-I green leaves. Valuable for seasi	May. Sn de plantin	nali reatr	iery light
12 to 18 in	30	2.50	
1½ to 2 ft	35	3.00	25.00
12 to 18 in	.40	3.50	30.00
tomentosa. Hardhack. 3'-4' Woolly re	ose-pink f	lowers.	ulv-Sept.
Leaves brownish underside—good	d in mass	es for lov	ground.
1½ to 2 ft		2.00	15.00
2 to 3 ft	.30	2.50	20.00
van houttei. Van Houtte Spirea. 8'-9'	White, Ma	y-June.	Graceful
habit—extremely free flowering as			
$1\frac{1}{2}$ to 2 ft	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	

	DI- I	10	100
CTADUVIEW Inter- Calabia Division No.		Per 10	
STAPHYLEA colchica. Colchis Bladder Nut. May June. Fragrant—decorative s	10 -12	Flower	s white,
way julie. Pragram—decorative s	eeu pous.		
2 to 3 ft	.60		
CTEDITANANDDA Accessor Custon Control		51 (1 (7
STEPHANANDRA flexuosa. Cutleaf Stephana compact habit—handsome foliage, s	imilar to	5'-0' (raceful
11/ 4- 2 for	70	\$2.50	
1½ to 2 ft	35	3.00	\$20.00
2½ to 3 ft	.40	3.50	
STYRAX japonica. Japanese Storax. 12'-15	′ White		and non.
dant flowers, June-July. Makes a	handsom	e specim	en.
1½ to 2 ft	30	2.50	
2 to 3 ft	.30 .35	3.00	
3 to 4 ft	.45	3.00 4.00	
dant flowers, June-July. Makes a 1½ to 2 ft	.60		
SYMPHORICARPOS racemosus. Snowberry	. 5'-6'	White	berries,
attractive foliage—best in half shad	y, moist		
1½ to 2 ft	.25	2.00	15.00
1½ to 2 ft	.30	2.50 3.50	20.00 30.00
vulgaris. Coralberry. 4'-5' More compac	.40	3.30	30.00
red berries persisting throughout the w	t than p	preceding	Coral
$1\frac{1}{2}$ to 2 ft	.20 .25	1.50 2.00	10.00 15.00
2 to 3 ft	.30	2.50	20.00
SYRINGA chinensis (rothomagensis). Chinese			
branches, graceful. Violet flowers	in May	—free fl	owering.
1½ to 2 ft	35	3.00	5 cg.
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 ft.	.60		
chinensis saugeana. Purple Chinese Lilac. 8	3′-9′ Dee	p purple	flowers.
1½ to 2 ft	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
japonica. Japanese Tree Lilac. 25'-30' Lo	ose bunc	hes crean	ny white
flowers, June-July. Handsome fol			
$1\frac{1}{2}$ to 2 ft	.30	2.50	20.00
2 to 3 ft	.40 .50	3.50 4.50	30.00
J to 4 II	.50		
josikaea. Hungarian Lilac. 9'–10' Purple deep green rough foliage. Rather	flowers,	June. I	las good
deep green rough ronage. Name	7 F		25.00
$1\frac{1}{2}$ to 2 ft	.33	3.00 3.50	25.00
pekinensis. Peking Lilac. 20'-25' Crea	.40		a Luna
Handsome foliage until late autumi	Grove	e Howel	s, juiie.
3 ft	.40	o quiein.	
persica. Persian Lilac. 9'-10' Blooms fre		May-b	ma
		3.00	1116.
1½ to 2 ft	.35 .40	3.50	
2 to 3 ft	.45	4.00	
persica alba. White Persian Lilac. 9'-10'			nite.
		3.00	
1½ to 2 ft	.45	4.00	
villosa. Late Lilac. 7'-8' Pale rosy-lilac, J	une G		ae
1½ to 2 ft	.40	3.50	30.00
∠ t∪ J It	. 10	3.30	30.00

28 DECIDUOUS TREES, SHRUBS AND VINES	_
Each Per 10 Per 10	00
SYRINGA vulgaris alba. Common White Lilac. 10'-12'	
1½ to 2 ft\$.30 \$2.50	
2 to 3 ft	
3 to 4 ft	
NAMED LILACS are all on own roots.	
1½ to 2 ft	
$2^{1/2}$ to $2\frac{1}{2}$ ft	
Alphonse Lavalle. Double light purple.	
Charles the Tenth. Rosy lilac, single.	
Michel Buchner. Double lilac.	
Marie LeGraye. Single white.	
Mme. Lemoine. Double white.	
Mme. Casimir Perrier. Double white.	
President Grevy. Double blue.	
·	
Rubra DeMarly. Single, light blue.	
Ludwig Spaeth. Single, dark reddish purple.	
Wm. Robinson. Double, violet pink.	
TAMARIX africana. African Tamarix. 12'-14' Pink, April-May. Feathe	rv.
gray-green foliage. Effective near water—thrives at seashor	e.
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
gallica. French Tamarix. 8'-9' Lt. pink, May-July; blue green foliage	ge.
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
pentandra (aestivalis.) Five Stamen Tamarix. 10'-12' Deep ro flowers late. Graceful habit—soft gray-green foliage.	se
1½ to 2 ft	
2 to 3 ft	
3 to 4 ft	
TILIA americana. American Linden 75'-90' Grows rather quick	lv.
forming an open head. Has fragrant yellow flowers.	1 y
10 to 11 ft., $1\frac{9}{4}$ to 2 in 2.50 11 to 12 ft., 2 to $2\frac{1}{4}$ in 3.25 12 to 13 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3.75 13 to 14 ft., $2\frac{1}{2}$ to 3 in 4.50 14 to 16 ft., 3 to $3\frac{1}{2}$ in 5.00	
11 to 12 ft, 2 to 2½ in 3.25 12 to 13 ft, 2½ to 2½ in 3.75 13 to 14 ft, 2½ to 3 in 4.50	
12 to 13 ft., 2½ to 2½ in 3.75 13 to 14 ft., 2½ to 3 in 4.50	
14 to 16 ft., 3 to 3½ in 5.00	
	1
tomentosa (argentea.) Silver Leaf Linden. 60'-70' Symmetric and compact—leaves silvery gray underneath.	aı
2 to 2½ in	
2 to 2½ in	
2½ to 2½ in	
3 to 3½ in	
3½ to 4 in	
platyphyllos European Large Leaf Linden 60'-75' Light green leave	es.
9 to 10 ft 11/2 to 18/2 in 2.00	
10 to 11 ft., 1 ³ / ₄ to 2 in 2.75	
11 to 12 ft., 2 to 2½ in 3.50	
11 to 12 ft., 2½ to 2½ in 4.50	
12 to 13 ft., $2\frac{1}{2}$ to 3 in 6.00	
9 to 10 ft., 1½ to 1¾ in 2.00 10 to 11 ft., 1¾ to 2 in 2.75 11 to 12 ft., 2 to 2¼ in 3.50 11 to 12 ft., 2¼ to 2½ in 4.50 12 to 13 ft., 2½ to 3 in 6.00 13 to 14 ft., 3 to 3½ in 7.50	

```
Each Per 10 Per 100
TILIA vulgaris (europaea.) European Linden. 60'-70' Fragrant flowers in
              late June, grows vigorously forming compact symmetrical tree.
            10 to 12 ft., 1½ to 1¾ in ... $2.25 10 to 12 ft., 1¾ to 2 in ... 3.00 11 to 12 ft., 2½ to 2½ in ... 3.75 11 to 12 ft., 2½ to 3 in ... 4.75 12 to 13 ft., 2½ to 3 in ... 5.50 13 to 14 ft., 3 to 3½ in ... 7.50
                                                     $28,50
                                                      36.00
                                                      46.00
ULMUS americana. American Elm. 80'-100' Stateliness and dignity are here exemplified. Fairly rapid in growth, this typical
              American tree soon assumes regal proportions and commands
              respect of all. Very adaptable but best in moist places.
                                            1.00
1.35
1.85
2.25
2.75
3.65
4.50
                    8 ft.....
                                                      8.50
            12.00
                                                               110.00
                                                     17.00
                                                               160.00
                                                      21.00
                                                      26.00
                                                      35.00
VACCINIUM corymbosum. Highbush Blueberry. 5'-6' White bell-shaped
              flowers-beautiful fruit, good habit, brilliant autumn coloring.
            VIBURNUM acerifolium. Maple Leaved Viburnum. 4'-5' White, May-
              June. Black fruits, maple-like leaves turning purple in autumn
              -good for dry shady places and under planting.
             americanum (oxycoccos) American Cranberry Bush, 8'-9' Bright
              scarlet berries in large bunches persisting almost all winter.
            .45
                                                       4.00
                                                .50
               to 4 ft .....
                                                       4.50
    cassinoides. Witherod. 5'-6' White, June-July. Berries pink changing
              to dark blue. Rich autumn coloring -splendid for massing.
             3.00
                                                                25.00
                     3 ft.....
                                                .45
                to
                                                       4.00
                                                                35.00
    dentatum. Arrow Wood. 10'-12' White, May-June. Berries blue-
              black, autumn coloring purple and red-thrives in wet soil.
                                                       3.00
            2 to 3 ft ......
                                               .35
                                                               25.00
                                               .40
            3 to 4 ft.....
                                                       3.50
                                                               30.00
            4 to 5 ft .....
                                               .45
                                                       4.00
              Linden Viburnum. 8'-9' Creamy white, May-June. Scarlet shiny berries persisting. Handsome and valuable.
    dilatatum.

    1½ to 2 ft.
    .40

    2 to 3 ft.
    .45

    3 to 4 ft.
    .50

    4 ft.
    .55

                                                       3.50
                                                                30,00
                                                       4.00
                                                                35.00
                                                       4.50
             Wayfaring Tree. 15'-18' White, May-June. Handsome dark
              green wrinkled leaves. Berries red, changing to black.
             3.50
                                                                30.00
                to 3 ft.....
                                                .45
                                                       4.00
                                                                35.00
                                               .50
                 to 4 ft.....
                                                       4.50
                                                                40.00
                                                .55
             4 ft.....
                                                       5.00
    lantana rugosum. Wrinkle Leaf Wayfaring Tree. 15'-18' Has larger
              and more wrinkled leaves than preceding.
             1½ to 2 ft.....
                                                       3.50
                                                                30.00
                 to 3 ft.....
                                               .45
                                                       4.00
                                                                35.00
                                              .50
             3
                                                       4.50
                 to 4
                       ft.....
                                                                40.00
                 to 5 ft.....
                                                       5.00
```

30 DECIDUOUS TREES, SHRUBS AN	D VIN	1ES	
E	ach]	Per 10	Per 100
VIBURNUM lentago. Naunyberry. 18'-20' W	hite. M	av-June.	Hand-
some shining leaves. Blue-black fruit	s—spler	ndid for i	massing.
1½ to 2 ft	.35	\$3.00	\$25.00
2 to 3 ft	.40	3.50	30.00
2 to 3 ft	.50	4.50	40.00
4 to 5 ft	.55	5.00	
molle. Kentucky Viburnum. 10'-12' Larg	er. darl	ker greer	leaves.
but otherwise similar to "dentatum".	Goog	compa	ct habit.
$1\frac{1}{2}$ to 2 ft	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.45	4.00	
opulus. European Cranberry. 9'-10' Simila	r to An	nerican C	ranberry
but has thicker darker green leaves a	nd sma	ller flowe	ers.
$1\frac{1}{2}$ to 2 ft	.35	3.00	
2 to 3 ft	.45	4.00	
1½ to 2 ft	.50	4.50	
opulus sterile. Common Snowball. 9'-10'	Has she	owy roui	nd heads
of white flowers, May-June, No fr	uits are	produce	d.
$1\frac{1}{2}$ to 2 ft	.40	3.50	30.00
2 to 3 ft	.45	4.00	35.00
1½ to 2 ft	.50	4.50	
opulus nanum. Dwarf Cranberry. 1½'-2' shrub. Rarely flowers. Very com	Useful	edging	or facing
shrub. Rarely flowers. Very comp	oact.		
6 to 8 in	.20	1.50	
8 to 10 in	.25	2.00	
10 to 12 in	.30	2.50	
pubescens. Downy Viburnum. 8'-10' Like			S-
$1\frac{1}{2}$ to 2 ft		4.00	
prunifolium. Black Haw. 15'-20' Pure w	hite flo	wers, Ap	oril—June.
Blue-black glaucous berries. Sturdy	habit.	Handson	ne shrub.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$.40	3.50	
2 to $2\frac{1}{2}$ ft	.45	4.00	
sieboldi. Siebold Viburnum. 9'-10' White,	May-Ju	ıne. Beri	ies pink,
changing to black. Handsome large	dark g	green leav	es.
1½ to 2 ft	.30	2.50	
2 to 3 ft	.40	3.50	
changing to black. Handsome large 1½ to 2 ft	.50	4.50	
tomentosum. Doublefile Viburnum. 7'-8'	Flat	heads c	of white
flowers, June. Berries red to black.	Good	autumn	coloring.
2 to 3 ft	.45	4.00	35.00
3 to 4 ft	.55	5.00	45.00
tomentosum plicatum. Japanese Snowball			
flowers in balls, June. Handsome for	oliage, p	ourple in	autumn.
15 to 18 in	.33	4.00	35.00
2 to 21/ ft	50	4.00	40.00
21/ to 3 ft	60	5.50	50.00
15 to 18 in	65	6.00	30.00
VITEX agnus castus. Chaste Tree. 4'-5' Dain	tre about	h lilea	florward
Aug.—Sept. Gray-green star-shaped	leaves_	_nrefers	rin wers,
$1\frac{1}{2}$ to 2 ft	.25	2.00	J 4111
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
WEIGELA Abel Carriere. Carriere Weigela. 8'-9'			oat. June.
2 to 3 ft	.30		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
3 to 4 ft	.35	3.00	
amabilis. Rose Weigela. 7'-8' Light pink.			
$1\frac{1}{2}$ to 2 ft	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	
4 to 5 ft	.45	4.00	

			Per 100
WEIGELA candida. Snow Weigela. 7'-8' Larg	e pure	white flo	wers.
2 to 3 ft	\$.35	\$3.00	470.00
3 to 4 ft	.40	3.50	\$30.00
	.45	4.00	
Desbois. Desbois Weigela. 6'-7' Deep ro	se—flov		usely.
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
Eva Rathke. Red Flowering Weigela. 4	′-5′ Ca	armine, Ju	ıne–Aug.
1½ to 2 ft	.40	3.50	30.00
2 to 2½ ft	.45	4.00	35.00
2½ to 3 ft	.50		
floribunda. Crimson Weigela. 7'-8' Crims		e. Free t	lowering.
2 to 3 ft			
Lavalle. Lavalle Weigela. 7'-8' Bright co			
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
nana variegata. Variegated Leaf Weigela. variegated leaves—dwarf compact g	growth.	Pale pin	k flower,
1½ to 2 ft	.30	2.50	
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50	4.50	40.00
		5.00	
rosea. Pink Weigela. 7'-8' Showy pink		June. V	Vigorous.
$1\frac{1}{2}$ to 2 ft	.25	2.00	
1½ to 2 ft	.30	2.50	20.00
J 10 4 II	.35	3.00	
steltzneri. Steltzner Weigela. 6'-7' Dark	rose—v		use.
1½ to 2 ft	.25	2.00	
3 to 4 ft	.40	2.50 3.50	
Van Houtte. Van Houtte Weigela. 7'-8'			
2 to 3 ft	.30	2.50	
2 to 3 ft	.35	3.00	
4 ft	.45	4.00	
WISTERIA frutescens. American Wisteria. 20'-	-25′ Li	lac purple	fragrant
flowers in short clusters in June.	A beau	itiful sler	der vine.
2 to 3 ft	.40	3.50	
multijuga. Long Cluster Wisteria. 40'-50'	Fragr	ant nurni	e flowers
in long clusters, May. Seen to bes	t advan	tage whe	n trained
on old trees or open trellises.			
1½ to 2 ft	.40	3.50	
1½ to 2 ft	.45	4.00	
3. It	.50	4.50	40.00
sinensis. Chinese Wisteria. 40'-50' Purp	ple-blue	flowers	about a
week before preceding.	40	7.50	70.00
$1\frac{1}{2}$ to 2 ft	.40 .45	3.50 4.00	30.00 35.00
3 to 4 ft			
sinensis alba. White Chinese Wisteria. 40			
1½ to 2 ft	.40		
2 to 3 ft	.45		
3 ft	.50		
		round co	ver—will
succeed on dry, sandy soil, but not			
12 to 15 in	.20	1.50	10.00
15 to 18 in	.25	2.00	15.00

Evergreens and Conifers

These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact, symmetrical specimens. All balled and burlapped at the prices named, except where marked with a ***

except where	marked with a **	F 1 P 10 P 100
ADIEC	alonica. Greek Fir. 60'-75' Has	Each Per 10 Per 100
ABIES cepn	leaves. Handsome symmetrical spe	silli shining dark green
	2 to 2½ ft	\$2.50
	2 to 2½ ft	2.75
	3 to 3½ ft	3.25
concolor	. White Fir. 70'-80' Grows quickly	and forms symmetrical,
001100101	beautiful specimen. Large flat gray	green needles.
	$1\frac{1}{2}$ to 2 ft	2.00
	1½ to 2 ft	2.75
	2½ to 3 ft	3.50
	3 to 3½ it	4.50
douglasi	(pseudotsuga). Douglas Fir. 70 bluish-green coloring. Prefers well-	-80 Very hardy, dark
	11/ to 2 ft	1 50
	2 to 2½ ft	2.00
	2½ to 3 ft	2.50
	3 to 3½ ft	3.25
	1½ to 2 ft	4.50
fraseri.	Fraser Fir. 40'-50' Soft dark gre	en foliage, pleasant odor.
		1.50
	2 to 21/2 ft	2.00
	2½ to 3 ft	2.50
	2½ to 3 ft	3.00
lasiocarp	pa (subalpina). Alpine Fir. 5'-6'	Has pale blue-green leaves
	—grows slowly. 1 $\frac{1}{2}$ to 2 ft	2.50
	1 % to 2 ft	2.50
	2 to 21/ ft	
1	2 to $2\frac{1}{2}$ ft	3.50
nordmar	2 to 2½ ft nniana. Nordmann Fir. 60'–70' G	3.50 rows slowly when young
nordmar	2 to $2\frac{1}{2}$ ftnniana. Nordmann Fir. $60'-70'$ Grant Flat leaves, rich shining green abo	3.50 rows slowly when young we, silvery white beneath
nordmar	2 to 2½ ft	3.50 rows slowly when young ove, silvery white beneath 3.00
nordmar	2 to 2½ ft	3.50 rows slowly when young ove, silvery white beneath 3.00
	2 to 2½ ft	3.50 rows slowly when young ove, silvery white beneath 3.00
	2 to 2½ ft mniana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young twe, silvery white beneath 3.00 4.00 5.00
	2 to 2½ ft mniana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young twe, silvery white beneath 3.00 4.00 5.00
pectinat	2 to 2½ ft mniana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00
	2 to 2½ ft mniana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00
pectinat	2 to 2½ ft mniana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00
pectinat	2 to 2½ ft mniana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00
pectinat veitchi.	2 to 2½ ft. miana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00
pectinat veitchi. ANDROMEI	2 to 2½ ft. miana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25
pectinat veitchi. ANDROMEI	2 to 2½ ft. miana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. a. Silver Fir. 60′-70′ 1½ to 2 ft. 2 to 2½ ft. Veitch Fir. 30′-35′ Large soft above—blue-gray beneath. A narr 1½ to 2 ft. 2 to 2½ ft. 3 to 3½ ft. 5 to 3½ ft. 5 Large soft above—blue-gray beneath. A narr 1½ to 2 ft. 6 to 3½ ft. 7 Large Soft above—blue-gray beneath. A narr 1½ to 2 ft. 7 Large Soft above—blue-gray beneath. A narr 1½ to 2 ft. 8 Large Soft above—blue-gray beneath. A narr 1½ to 2 ft. 9 Large Soft above—blue-gray beneath. A narr 1½ to 2 ft. 9 Large Soft above—blue-gray beneath. A narr 1½ to 2 ft. 9 Large Soft above—blue-gray beneath. A narr 1½ to 2 ft. 9 Large Soft above—blue-gray beneath. A narr 1½ to 2 ft. 9 Large Soft above—blue-gray beneath. A narr 1½ to 3 ft. 9 Large Soft above—blue-gray beneath. A narr 1½ to 3 ft. 9 Large Soft above—blue-gray beneath. 9 Large	3.50 rows slowly when young ve, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greet over pyramid. 1.50 2.00 3.25 Conspicuous purple-rec
pectinat veitchi. ANDROMEI	2 to 2½ ft. miana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-recch bronze-green in winter
pectinat veitchi. ANDROMEI	2 to 2½ ft. miana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-recch bronze-green in winter
pectinat veitchi. ANDROMEI	2 to 2½ ft. miana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-recch bronze-green in winter
pectinat veitchi. ANDROMEI	2 to 2½ ft. miana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-recch bronze-green in winter
pectinata veitchi. ANDROMEI AZALEA au	2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-rec h bronze-green in winter .60 \$5.50 \$50.00 .75 6.00 55.00 1.00 9.00 85.00 1.25 11.00 100.00
pectinata veitchi. ANDROMEI AZALEA au	2 to 2½ ft. miana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. a. Silver Fir. 60′-70′ 1½ to 2 ft. 2 to 2½ ft. Veitch Fir. 30′-35′ Large soft above—blue-gray beneath. A narr 1½ to 2 ft. 2 to 2½ ft. 3 to 3½ ft. DA. (See Leucothoe and Pieris). moena. Japanese Azalea. 2½′-3′ flowers, April-May. Leaves turn ri 6 to 8 in**. 8 to 10 in**. 8 to 10 in in**. 10 to 12 in. 112 to 15 in. iri. Red Japanese Azalea. 3′-4′	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-rech bronze-green in winter 6.60 5.50 6.00 5.50 1.00 9.00 8.50 1.25 11.00 100.00 Larger leaves and bette.
pectinata veitchi. ANDROMEI AZALEA au	2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-rech bronze-green in winter 60 \$5.50 \$5.00 5.00 1.00 9.00 \$5.00 Lager leaves and better the carmine-pink—effective.
pectinata veitchi. ANDROMEI AZALEA au	2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-rech bronze-green in winter 60 \$5.50 \$5.00 5.00 1.00 9.00 \$5.00 Lager leaves and better the carmine-pink—effective.
pectinata veitchi. ANDROMEI AZALEA au	2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-rech bronze-green in winter 60 \$5.50 \$5.00 5.00 1.00 9.00 \$5.00 Lager leaves and better the carmine-pink—effective.
pectinata veitchi. ANDROMEI AZALEA au	2 to 2½ ft. miana. Nordmann Fir. 60′-70′ Gr Flat leaves, rich shining green abo 2 to 2½ ft	3.50 rows slowly when young we, silvery white beneath 3.00 4.00 5.00 1.50 2.50 flat needles, deep greer ow pyramid. 1.50 2.00 3.25 Conspicuous purple-rech bronze-green in winter 60 \$5.50 \$5.00 5.00 1.00 9.00 \$5.00 Lager leaves and better the carmine-pink—effective.

For other AZALEAS see pages 3 and 4.

Each Per 10 Per 100
BERBERIS ilicifolia. Hollyleaf Barberry. 5'-6' Holly-like leaves persisting till new foliage appears—flowers yellow.
15 to 18 in
1½ to 2 ft
julianae. Wintergreen Barberry. A splendid evergreen barberry.
4-in. pots, strong plants 1.00 9.00
BIOTA (See THUJA orientalis. Page 45, 46.)
BUXUS sempervirens. Box. (Bush form) 12'-15' Useful for formal hedges.
8 to 10 in.,*** bushy
10 to 12 in.,** "
15 to 18 in., "
japonica. Japanese Box. A good hardy species with round leaves.
CLIPPED GLOBES
16 to 18 in
20 to 22 in
CLIPPED PYRAMIDS
28 in
32 in
3 to 4 in. **
4 to 6 in. ** 1.50 9.00
6 to 8 in. ** 3.50 15.00 8 to 9 in. ** bushy
4 to 6 in. ** 1.50 9.00 6 to 8 in. ** 3.50 15.00 8 to 9 in. ** bushy75 6.00 45.00 9 to 10 in. ** bushy. 1.00 9.00
CALLUNA vulgaris alba. White Heather. 1'-2' A splendid evergreen
ground cover. Best in large masses on well-drained slopes.
6 to 8 in.**
8 to 10 in.**
vulgaris alporti. Alport Heather. Deep rose. Same prices as above.
CHAMAECYPARIS (See Retinospora.)
CHAMAEDAPHNE calyculata. Leatherleaf. 3'-4' White flowers in
April. Leaves persist throughout winter. Attractive, useful.
12 to 15 in
1½ to 2 ft
COTONEASTER acutifolia. 5'-6' Red flowers—black fruit.
1½ to 2 ft
2½ to 3 ft
horizontalis (davidiana). Rock Cotonegster, 1'-116' Small box-like
shiny leaves—bright red berries. Effective among rocks. 15 to 18 in
15 to 18 in
microphylla. Rockspray. 1½'-2' Very small leaves, very deep green.
Rather more bushy than preceding. 12 to 15 in
15 to 18 in
1½ to 2 ft
2 ft
1½ to 2 ft
2 to 2½ ft

34 EVERGREENS AND CONIFERS
Each Per 10 Per 100
CRYPTOMERIA lobbi compacta. Cave Cryptomeria. 15'-20' Forms
narrow irregular column—compact and picturesque. Rich
winter color, bronze-green. Prefers moist, well-drained location.
2 to 2½ ft
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
DAPHNE cneorum. Rose Daphne. 1' Gray-green foliage, low spreading. Pretty pink flowers in April-May. Delightful fragrance.
8 to 10 in
green leaves. Upright bushy habit. Needs winter protection.
8 to 10 in**
10 to 12 in**
green leaves. Upright bushy habit. Needs winter protection. 8 to 10 in**
patens (sieboldianus.) Spreading Euonymus. 6'-8' Vigorous grower,
forming broad, rather loose shrub, leaves persisting until late
winter. Ornamental fruits. Effective among denser conifers.
winter. Ornamental fruits. Effective among denser conifers. 12 to 15 in**
1½ to 2 ft
radicans. Wintercreeper. Climbing to 15 ft. Self-clinging vine. Good for covering low walls. Also useful for under planting.
8 to 12 in.** 2 yr., bushy20 1.50 12.00 12 to 15 in.** " "25 2.00 16.00
12 to 15 in.** " "25 2.00 16.00
radicans acutus. Sharpleaf Wintercreeper. A graceful form with
long narrow leaves, white veins, purplish underneath.
15 in., 2 yr**
radicans carrierei. Glossy Wintercreeper. Large, shiny pointed leaves.
12 to 15 in. 2 vr**
12 to 15 in., 2 yr**
radicans colorata. Long narrow leaves purple underneath, tinged purple above. Very effective in winter.
2 yr
radicans minimus. Baby Wintercreeper. 2'-3' Has tiny evergreen
leaves and a dainty trailing habit. Charming rock subject.
0 to 8 in
8 to 10 in
radicans variegatus. Variegated Wintercreeper. Leaves veined and marked yellowish white and pink. Clinging vine.
8 to 12 in.** 2 yr., bushy18 1.50 12.00 12 to 15 in.** 3 yr., "20 1.80 15.00
12 to 15 in.** 5 yr.,20 1.80 15.00
radicans vegetus. Bigleaf Wintercreeper. 3'-4' Bushy interesting growth. Leaves round, dull green, bright scarlet fruits freely
produced. Handsome among evergreens. Self clinging.
12 to 15 in.** 2 vr
15 to 18 in.** 3 yr., bushy40 3.50 30.00
12 to 15 in.** 2 yr
3 yr**
For other EUONYMUS see page 10.
HEDERA helix. English Ivy. 20'-50' Evergreen—good ground cover. A self-clinging vine, best on north side. 2 yr
ILEX crenata microphylla. Small Leaf Japanese Holly. 6'-8' Smaller
leaves and more hardy than the type. More compact habit.
15 to 18 in
$1\frac{1}{2}$ to 2 ft 1.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$2\frac{1}{2}$ to 3 ft
0 10 0/2 1011111111111111111111111111111

			I	Tach	Per 10	Dor 100
H EV glabus L		6/ CL:				
ILEX glabra. In	Black berries	Useful fo	iark green i	eaves p	urpiisn ii	n Winter.
	to 15 in				succeed:	5 111 5011.
15			φ	1.00	\$9.00	
	$\frac{1}{2}$ to $\frac{1}{2}$ ft.			1.25	φ2.00	
	verican Holl				t	. al-adad
opaca. Am	place. Rathe	y. 25-50 er difficult to	transplant	11 111018	i partian;	y Shaueu
2	to 21/ ft	i dirican to	transplant.	2.50		
21/	to $2\frac{1}{2}$ ft 1/2 to 3 ft 1/2 to 4 ft			3.00		
3	to $3\frac{1}{2}$ ft			4.00		
3 1/4	2 to 4 ft			5.00		
JUNIPERUS car						
				Colum	nar outli	ne grava
6111116113131	Chinese Ju green foliage	of two types	s. A splene	did eve	rgreen.	ine, gray.
11/2	6 to 2 ft	51		1.50.	0	
2	to 2½ ft			2.00		
$\frac{1}{2}$ 1/3	$\frac{1}{2}$ to $\frac{2}{1}$ ft to $\frac{2}{2}$ ft $\frac{1}{2}$ to $\frac{3}{2}$ ft			2.50		
chinensis al	- Ibo variegata	a. White L	eaf Chines	e Junii	per. 6'-	7' Light
٤	glaucous foli	age with crea	amy branch	es inter	spersed.	Formal
F	pyramid but	useful in lov	v plantings.			
12	to 15	n		1.10		
15	to 15 to 18 $\frac{1}{2}$ to 2 to $\frac{2}{2}$	in		1.35		
1.3	$\frac{1}{2}$ to 2	ft		1.75		
2	to $2\frac{1}{2}$	ft	:	2.25		
	$\frac{1}{2}$ to 3			3.00	_	
chinensis co	olumnaris.	Columnar	Chinese Ju	niper.	Grows	rapidly,
1:	forming tall,	narrow colui	mn of gra	ıy-greer	i foliage	. Spire-
11	ike effect.	very userur i	ii evergreen	piantii	ıg.	
2 2 1	to 2½ ft			2.50		
2; 3	to $2\frac{1}{2}$ ft to 3 ft to $3\frac{1}{2}$ ft			3.50		
chinensis ne	aborionsis	Conical Cl	hinasa Inni	5.50 Dar 7	' O' Vors	formal
n cimilensis ile	narrow pyrar	nid. Prickly	ileaves. I	Jseful a	ccent pla	nt.
					ecciii pia	
2	$\frac{1}{2}$ to 2 ft to $2\frac{1}{2}$ ft $\frac{1}{2}$ to 3 ft			1.75		
$\bar{2}_{1}$	$\frac{1}{2}$ to $\frac{3}{2}$ ft			2.25		
3	to $3\frac{1}{2}$ ft		3	3.00		
chinensis ob				pyran	nid with	feathery
h	oranches. G	ravish foliag	e shaded ni	irole in		
15	to 18	in		1.00		
1 1	$\frac{1}{2}$ to 2	ft]	1.50		
2	to $2\frac{1}{2}$	ft		2.25		
27	to 18 $\frac{1}{2}$ to 2 to $2\frac{1}{2}$ $\frac{1}{2}$ to 3 to $3\frac{1}{2}$	۱t د		2./5		
chinensis pfi	10 3½	D.C	51 6),/J	1 11	. 11.54
chinensis ph	Gray-green	Soliogo givi	iper. 5-0	Broa	id busny	Λ most
а	idaptable har	dy evergreen	highly rec	ommer	ded.	A most
1 1/4	to 2 ft	ay evergicen	1	75	16.50	\$160.00
2.	to 21/6 ft		. 2	2.50	24.00	235.00
21/6	to 3 ft.			5.50	34.00	
1½ 2 2½ chinensis san	rgenti. Sai	gent Junipe	er. 11/2'	Prostra	te habit.	Grass-
g	green foliage.	A valuable	ground co	ver and	l rock pla	ant.
10				.50		
	to 15 in		2	2.00		
15				2.50		
communis.	Common J	uniper. 2'	-2½' For	ms a v	ase-shape	d bush.
12		n		.75	- 6.50	
15	to 18 i	n		1.00	9.00	
		t		1.35	12.50	
2	to $2\frac{1}{2}$ 1	t		1.85		

Each Per 10 Per 100
JUNIPERUS communis aurea. Golden Common Juniper. 1' 11/2' Low
spreading habit. Golden foliage, particularly bright in spring
12 to 15 in
1½ ft
communis canadensis. Canada Juniper. 21/2'-3' Forms low vase
shaped bush. Leaves dark green above, bluish beneath.
12 to 15 in
15 to 18 in
2 to 2½ ft
2½ ft
from ground, making very narrow column.
12 to 15 in
15 to 18 in
1½ to 2 ft 1.50 communis hibernica. Irish Juniper. 7'-8' A very narrow pyramid
Useful for its spire-like effect. Grows quickly.
12 to 15 in
1½ to 2 ft
communis depressa (prostrata.) Prostrate Common Juniper. 1'-1½
Branches spread almost along ground—a useful ground cove
and rock plant. 12 to 15 in
12 to 15 in
$1\frac{1}{2}$ to 2 ft
2 to 2½ ft 1.75 2½ to 3 ft 2.75
communis suecica nana. Dwarf Swedish Juniper. 3'-3½' A narrow
compact column of slow growth. Good foundation plant.
12 to 15 in
15 to 18 in
2 to 2½ ft 2.00 18.00
conferta (litoralis.) Shore Juniper. 1'-11/2' Prostrate habit, usefu
on sandy places or seaside planting. Large leaves.
$1\frac{1}{2}$ to 2 ft
excelsa stricta. Spiny Greek Juniper. 4'-5' Compact, well-shaped
pyramid. Foliage gray-green—most useful for formal effects
10 to 12 in
4 7
15 to 18 in 1.50 14.00 1½ to 2 ft 2.60 25.00
2 to 2½ ft 3.00 29.00 2½ ft 3.50
horizontalis (sabina prostrata.) Creeping Savin. 1'-1½' Branches
trail along ground. Good for rock work and ground covering
15 to 18 in
$1\frac{1}{2}$ to 2 ft
horizontalis douglasi. Waukegan Juniper. 1'-1½' Long branches
trailing along ground. Steely-blue foliage. A splendid ground
cover, also effective among rock. Distinct purple hue in winter.
12 to 15 in
$1\frac{1}{2}$ to 2 ft. 2.00

	EVER	RGREENS AND CON	FERS		5/
			Fach	Per 10 P	er 100
HINIPERUS	iaponica.	Japanese Juniper. 3'-4			
jerni ziree		dark green scaly leaves-			
	8 to 10	in	\$.85		
		in	1.35		
			2.00		
japonica		olden Japanese Junipe		' Slow gr	owing
	-	orm with rich golden lea			
	15 to 18	in	1.50		
japonica	aurea varie	<mark>gata.</mark> Golden Variegat	ed Juni	per. 2'-2½	2"
		in	1.25		
		in	1.50		
		ft	1.85		
sabina.	Savin. 6'	7' Dense dark green fol	iage. S	preading br	anches
	-	regular vase-shaped bush		#O 00	
		inin	1.00	\$9.00 12.50	
		ft	2.00	18.00	
cabina t	tamariscifolia				o dim a
Sabilla		empact but soft texture in	$1 - 1 \frac{7}{2}$	rgreen plant	ing.
		in	1.00	9.00	
		in	1.25	11.00	
	15 to 18	in	1.50	13.50	
		ft	2.50		
		***************************************	3.00		
virginalis	s globosa.	Globe Japanese Junipe	er. $1\frac{1}{2}$	'-2' Thin	round
	branchlets,	scaly fresh green leaves.	Usefu	ıl for found	lation.
		in	.85	7.50	
		in	1.00	9.00	
		in in	1.25 1.50		
		ft	2.00		
virginian		25'-30' Forms a dense co	dumn de	een green fol	ia oe
vii giiiiuii	purplish in	winter. Useful in forma	l work c	or mixed plan	ntings.
			.75		
			1.35		
			2.75		
			3.50		
			5.00		
virginian	a cannarti.	Cannart Cedar. 12'–1 ense growing columnar f	15′ Ver	y deep rich	green
		ft	1.75		
		ft	2.25		
		ft	3.25		
		ft	4.00		
		ft	4.75		
virginian	tips to bra	ma. Goldtip Redcedar nches, turning bronze in	. 10'-1 winter.	2′ Bright y Attractive v	yellow ariety.
	2 to $2\frac{1}{2}$	ft	2.00		
	$2\frac{1}{9}$ to 3	ft	2.75		
		ft	3.50		
virginian		Silver Redcedar. 15'-2		sh-gray foli	age.
		ft	1.85	17.50 23.50	
	$\frac{2\frac{1}{2}}{3}$ to $\frac{3}{5}$	ft ft	2.50	32.50	
	$3\frac{1}{2}$ to 4	ft	4.00	32.30	
	4 to 5	ft	5.00		

Each Per 10 Per 100 JUNIPERUS virginiana pendula. Weeping Redcedar. 8'-10' Branches lengthen and droop over, giving a picturesque effect. \$2.00 3.00 3.75 virginiana schotti. Schott Redcedar. 12'-15' Has fresh green foliage. Compact formal columnar habit. 2 to 2½ ft..... 1.75 $2\frac{1}{2}$ to 2.35 \$22.50 3.25 virginiana tripartita. Fountain Redcedar. 4'-5' A bushy half upright grower with feathery branches. 2.00 2.75 3.50 waukegan. (See Horizontalis Douglasi) KALMIA latifolia. Mountain Laurel. 5'-7' Most effective in June when the clusters of pink flowers open. Good foliage, likes shade. 1.00 1.25 10.00 1.75 15.00 2.25 20.00 2.50 22.50 1.00 9.00 \$75.00 90.00 125.00 175.00 LEIOPHYLLUM buxifolium. Sand Myrtle. 18" Small pale pink flower in June. Leaves are small—good ground cover or rock plant. 8 to 10 in..... 10 to 12 in 12 to 15 in 15 to 18 in 1.00 1.25 1.50 LEUCOTHOE catesbaei Drooping Leucothoe. 3'-4' Attractive white flowers, May. Handsome lustrous leaves, rich autumn color. Splendid for under planting in shade—prefers moist place. .85 7.50 60.00 10.00 90.00 1.75 15,00 LONICERA pileata. Privet Honeysuckle. 2' Dwarf evergreen shrubneeds protection. .45 4 00 35.00 1 yr..... aquifolium. Oregon Holly Grape. 4'-5' Shining green MAHONIA leaves turn rich scarlet in Autumn-striking in May when yellow flowers appear-blue-black fruits. Best in half shade. 12 to 15 in..... 1.00 15 to 18 in..... 1.25 PICEA canadensis (alba.) White Spruce. 50'-60' Silvery foliage—develops into shapely specimen of close texture. 12 to 15 in..... .85 15 to 18 in..... 1.00 canadensis alba albertiana. Dwarf Alberta Spruce. 2½'-3' Extremely compact, slow-growing variety, valuable where small scale is desired. to 12 in..... 10 2.50 12 to 15 15 to 18 3.00 3.50 4.50 in.....

6.00

 $1\frac{1}{2}$ to 2

to

Each Per 10 Per 100 PICEA excelsa. Norway Spruce. 80'-100' A quick growing windbreak.

 1½ to 2 ft.
 \$.90 \$8.50

 2 to 2½ ft.
 1.35 12.50

 2½ to 3 ft.
 1.75 16.00 \$155.00

 3 to 3½ ft.
 2.50 23.50

 excelsa conica. Arrowhead Norway Spruce. 6'-7' Grows slowly. Compact and symmetrical—good for foundation planting. orientalis. Oriental Spruce. 50'-60' Splendid symmetrical specimen.

Deep green glossy needles. Graceful habit—slow grower. pungens. Colorado Spruce. 60'-80' Branches in distinct whorls, forming handsome lawn specimen. Gray-green needles. turning bronze in winter. Drooping clusters of small white flowers open in May. Best in moist, partially shaded place. 12 to 15 in 1.50 floribunda. Mountain Andromeda. 4' Waxy white flowers in May. Good deep green foliage, best in half shady places, very hardy. 12 to 15 in 2.00 15 to 18 in 2.75 PINUS austriaca (nigra.) Austrian Pine. 60'-70' Rich dark green, vigorous, dense grower. Good for background -thrives at seashore. close growth give soft texture. Symmetrical blunt pyramid 2 to 2½ ft..... densiflora. Japanese Red Pine. 40'-50' Long bright-green needles. Succeeds well at seashore—grows rather quickly. densiflora umbraculifera (Tanyosho.) Japanese Umbrella Pine. 3'-4' A dwarf variety in which the branches form a flat-topped table-like bush. A handsome and useful dwarf evergreen. 4.00 for rocky places. Grows slowly.

1½ to 2 ft. 1.50

2 to 2½ ft. 2.00

2½ to 3 ft. 2.50

3 to 4 ft. 3.25

	EVERGREENS AND CONIFERS
	Fach Par 10 Par 100
DINIIIC	Each Per 10 Per 100
FINUS IIIOI	ntana mughus. Mugho Pine. $2\frac{1}{2}'-3'$ Forms a round-topped bush. Useful for rock planting and foundation work.
	12 to 15 in
	15 to 18 in 1.75
	$1\frac{1}{2}$ to 2 ft
resinos	a. Red Pine. 50'-60' Rich green stiff needles, reddish-brown
	bark. Vigorous, symmetrical grower.
	2 to 2½ ft
	2½ to 3 ft
ما تعنی	
rigida.	Pitch Pine. 40'-50' Irregular, picturesque habit. Useful for dry, poor soil and seashore planting—quick grower.
	2½ to 3 ft
	3 to 4 ft 2.00
	4 to 5 ft
	5 to 6 ft
strobus	. White Pine. 80'-100' Probably our most adaptable and
	useful pine. Very picturesque when old. Grows quickly.
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	2½ to 3 ft
sylvestr	ris. Scotch Pine. 60'70' Rather short blue-green twisted
3,110311	needles. Does well on poor soils. Picturesque when old.
	2 to 2½ ft
	2½ to 3 ft
	3 to 4 ft
RETINOSE	PORA (CHAMAECYPARIS) obtusa. Hinoki Cypress. 15'-20'
	Dark green lustrous foliage—grows slowly. Forms beautiful specimen—fern-like branches.
	specimen—fem-like branches.
	15 to 18 in
	2 to 2½ ft
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in
obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation.
obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in
obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in
	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in
	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in
	compacta. Football Cypress. 2½'-4' Almost spherical in Shape—good green during winter. 12 to 15 in 1.00 \$9.00 15 to 18 in 1.75 16.00 1½ to 2 ft 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good
	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in
obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in Shape—good green during winter. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. 12 to 15 in 1.25 15 to 18 in 1.50 1½ to 2 ft 1.85
obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in
obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in
obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft. 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 12 to 15 in 1.25 15 to 18 in 1.50 1½ to 2 ft. 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 15 to 18 in 1.50 1½ to 2 ft 1.50
obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft. 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 12 to 15 in 1.25 15 to 18 in 1.50 1½ to 2 ft. 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 15 to 18 in 1.50 1½ to 2 ft 1.50
obtusa obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 12 to 15 in 1.25 15 to 18 in 1.50 1½ to 2 ft 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 15 to 18 in 1.50 1½ to 2 ft 2.00 2 to 2½ ft 2.50 2½ to 3 ft 3.00
obtusa obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in 1.00 \$9.00 15 to 18 in 1.75 16.00 1½ to 2 ft 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 12 to 15 in 1.25 15 to 18 in 1.50 1½ to 2 ft 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 15 to 18 in 1.50 1½ to 2 ft 2.00 2 2.50 2½ to 3 ft 3.00 3.00 gracilis compacta. Compact Hinoki Cypress. 4'-5' Very
obtusa obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 12 to 15 in 1.25 15 to 18 in 1.50 1½ to 2 ft 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 15 to 18 in 1.50 1½ to 2 ft 2.00 2 to 2½ ft 2.00 2 to 2½ ft 3.00 gracilis compacta. Compact Hinoki Cypress. 4'-5' Very slow and compact grower. Roughly pyramid in outline.
obtusa obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft. 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 12 to 15 in 1.25 15 to 18 in 1.50 1½ to 2 ft 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 15 to 18 in 1.50 1½ to 2 ft 2.00 2 to 2½ ft 2.50 2½ to 3 ft 3.00 gracilis compacta. Compact Hinoki Cypress. 4'-5' Very slow and compact grower. Roughly pyramid in outline.
obtusa obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft. 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 12 to 15 in 1.25 15 to 18 in 1.50 1½ to 2 ft 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 15 to 18 in 1.50 1½ to 2 ft 2.00 2 to 2½ ft 2.50 2½ to 3 ft 3.00 gracilis compacta. Compact Hinoki Cypress. 4'-5' Very slow and compact grower. Roughly pyramid in outline.
obtusa obtusa obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. 12 to 15 in 1.25 1.50 1.50 1½ to 2 ft 1.85 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. 15 to 18 in 1.50 1½ to 2 ft 2.00 2 to 2½ ft 2.50 2.50 2½ to 3 ft 3.00 gracilis compacta. Compact Hinoki Cypress. 4'-5' Very slow and compact grower. 15 to 18 in 1.75 1½ to 2 ft 2.50 2½ to 2½ ft 2.50 2.50 2 to 2½ ft 2.50 2 to 2½ ft 2.50 2 to 2½ ft 3.25
obtusa obtusa obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 12 to 15 in 1.25 15 to 18 in 1.50 1½ to 2 ft 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 15 to 18 in 1.50 1½ to 2 ft 2.00 2 to 2½ ft 2.50 2½ to 3 ft 3.00 gracilis compacta. Compact Hinoki Cypress. 4'-5' Very slow and compact grower. Roughly pyramid in outline. 15 to 18 in 1.75 1½ to 2 ft 2.50 2 to 2½ ft 3.25 3.25 nana. Dwarf Hinoki Cypress. 2'-2½' Forms a dense irreg-
obtusa obtusa obtusa	compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. 12 to 15 in 1.00 \$9.00' 15 to 18 in 1.75 16.00 1½ to 2 ft 2.50 22.50 crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. 12 to 15 in 1.25 1.50 1.50 1½ to 2 ft 1.85 1.85 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. 15 to 18 in 1.50 1½ to 2 ft 2.00 2 to 2½ ft 2.50 2.50 2½ to 3 ft 3.00 gracilis compacta. Compact Hinoki Cypress. 4'-5' Very slow and compact grower. 15 to 18 in 1.75 1½ to 2 ft 2.50 2½ to 2½ ft 2.50 2.50 2 to 2½ ft 2.50 2 to 2½ ft 2.50 2 to 2½ ft 3.25

Each Per 10 Per 100 RETINOSPORA (CHAMAECYPARIS) obtusa nana aurea, Dwarf Golden Hinoki Cypress. 2'-2½' A golden leafed form of preceding. obtusa youngi. Young Golden Cypress. 12'-15' Graceful loose habit, light yellow foliage on outside of bush. \$16.00 21.00

 Sawara Cypress. 25'-35'
 Quick grower, loosely pyramidal.

 1½ to 2 ft
 1.50 12.50

 2 to 2½ ft
 2.00 18.50

 2½ to 3 ft
 2.75 25.00

 3 to 3½ ft
 3.50

 aurea. Golden Sawara Cypress. 25'-35' Foliage bright pisifera yellow, especially in spring. Branches droop when older. ture. Useful for shearing into formal shapes. plumosa lutescens. Dwarf Yellow Plume Cypress. 2½'-3' Forms a low broad round-topped bush; bright yellow tipped branchlets. filifera. branches and bright green foliage—graceful and decorative. 11.50 16.50 26.50 filifera aurea. Golden Thread Cypress. 10'-12' Very bright conspicuous golden yellow. Grows more slowly than preceding.
 10
 to
 12 in
 1.35
 12.50

 12
 to
 15 in
 1.75
 16.50

 15
 to
 18 in
 2.00
 18.50

 1½
 to
 2 ft
 2.25
 filifera aurea nova. Variegated Thread Cypress. 10'-12' Branches are variegated green and yellow. Rather irregular in outline.

42 EVERGREENS AND CONIFERS	
Each Per 10 Per 10	0
RETINOSPORA (CHAMAECYPARIS) squarrosa veitchi. Veitch Mos Cypress. 25'-30' Foliage blue-gray, feathery and dense, giving sof woolly appearance. Broad pyramidal outline when young 12 to 15 in \$1.00 \$9.00 \$80.0'	ft g. O
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0
squarrosa sulphurea. Sulphur Moss Cypress. 20'-25' Similar i growth to Veitch's but has light yellow tips.	n
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
thujoides. Whitecedar. Irregular slender outline, bluish-gray fragrar foliage purplish in winter. Valuable for low marshy places 3 to $3\frac{1}{2}$ ft. 3.50 $3\frac{1}{2}$ to 4 ft. 4.00 4 to 5 ft. 4.75 5 to 6 ft. 5.50	ıt s.
thujoides leptoclada. Andely Cypress. 5'-6' Broadly columns habit branching from ground. Bluish-green foliage.	ır
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
thujoides leptoclada ericoides. Heath Retinospora. 3'-4' Has heather like leaves, giving woolly effect—forms a round broad bush	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-
RHODODENDRON. Hybrid Rhodendron. 3'-8' Few varieties in limited quantity.	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Carolinianum. Carolina Rhododendron. 4'-6' Bright pink flowers. May-June. Compact, bushy. Best in fairly open places. 12 to 18 in	5,
catawbiense. Catawba Rhododendron. 6'-9' Large rosy-purpl flowers, May–June. Deep green leaves, prefers half-shade.	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0
maximum. Rosebay Rhododendron. 8'-12' Beautiful light pin flowers freely produced in May-June. Large, handsom foliage, most effective in masses.	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 0 0

			Per 100
TAXUS baccata compacta. 3'-4' Neat, compa	\$1.50	deep-gre	en leaves.
1½ to 2 ft	2.00		
baccata erecta. Shortleaf English Yew. Stiff dark green leaves crowded or 15 to 18 in	3'-5' 0 n branch 1.50	Compact, es.	upright.
baccata repandens. Spreading English horizontal branches, darkgreen leav	ves. Goo	d for low	Spreading planting.
12 to 15 in	1.25 1.75 2.50	\$11.50 16.50	
canadensis. Canada Yew. 2'-2½' Sp winter. Prefers shade—good for	reading underpla	habit, bi	onzy in
12 to 15 in	1.25	11.00	
12 to 15 in	1.65 2.00	15.00	
cuspidata. Japanese Yew. 4'-5' (Spreadin leaves. Spreading, bushy. Valuab			ark green planting.
12 to 15 in	1.25 1.75	11.00	\$90.00
15 to 18 in	2.50	16.00 22.50	140.00
1½ to 2 ft	3.50	32.50	210.00
	5.00		
cuspidata. UPRIGHT TYPE.			
2½ to 3 ft	6.50 8.50		
cuspidata brevifolia. Dwarf Japanese	čew. 2	'-3' Bro gular spre	ad thick rading.
leaves, blacktsn green. Slow grow 10 to 12 in	1.15	10.00	
12 to 15 in	1.35 1.85	12.50 17.50	
$1\frac{1}{2}$ to 2 ft	2.75	17.00	
THUJA Lobbi atrovirens. Rich shining deep-gre		y leaves.	
1½ to 2 ft	1.50 2.25		
2 to 2½ ft	2.75		
occidentalis. American Arborvitae. 15'-3	80' Slen	der pyrar	nid with
broad base. Bronzy winter coloring for a hedge. Amenable to clipping	ng, Go g,	od accent	plant or
1½ to 2 ft	1.15	10.00 11.50	85.00
2½ to 3 ft	1.75	16.50	100.00
3 to 3½ ft	2.35	22.50	
3½ to 4 ft	4.00		
occidentalis columbia. Columbia Arboru tipped with silvery white. Formal		6'-10'	Branches
		pyramid	*
1½ to 2 ft	1.75		
2½ to 3 ft	3.00		
occidentalis compacta. Parsons Dwarf Arb globe shaped. Bright green. Use	orvitae.	$2\frac{1}{2}'-4'$ rmal plan	Almost ting.
12 to 15 in	1.00	9.00	85.00
15 to 18 in	1.25 1.85	11.50	110.00

44	EVE	RGREENS	AND CO	NIFERS		
				Each	Per 10	Per 100
THUJA occ	identalis doi	iglasi aurea	a. Douglas			
			ith golden g			
	$1\frac{1}{6}$ to 2	ft		\$1.85	\$17.50	
	2 to $2\frac{1}{2}$	≨ ft		2.25	21.00	
	$2\frac{1}{2}$ to 3	ft		2.75		
	3 to $3\frac{1}{2}$	ź ft		3.50		
	$3\frac{1}{2}$ to 4	ft		5.00		
occiden	talis_elegan	tissima.	Golden Ti	pped Arb	orvitae.	10'-15'
	Branches	tipped with	a vellow	Rich lustro	us aroon	otherwise
	$1\frac{1}{2}$ to 2	ft		1.50	13.50	
	2 to 21/	🧯 ft 		2.00	17.50	
	$2\frac{1}{2}$ to 3	ft		2.75	25.00	
	3 to $3\frac{1}{2}$	6 ft		3.50		
occiden	1½ to 2 2 to 2½ 2½ to 3 3 to 3½ talis ellwan	geriana. <i>T</i>	Com Thum	b Arborvi	tae. 4'	-6' Has
	neatner-i	ike ieaves—	dense nabii	sort, clo	se texture	2. Forms
	low, bro	ad, blunt py	ramid. Ri	ich purple	winter co	loring.
	12 to 15	in		85	7.50 9.00	
	15 to 18	ın		. 1.00	9.00	
	1½ to 2	/ ft		1.25	11.00	
	21/ to 3	2 II		2.50		
	272 10 3	Cl. 1	A 1	2.30		
occiden	talis globos	a. Globe I	Arborvitae.	21/2'-3'	Useful	in formal
	work.	Naturally co	ompact glob	e shaped.	0.00	\$70.00
	10 to 12	in		85	8.00	\$70.00
	12 to 15	in		1.00	9.50 12.50	85.00
					12.50	
occiden	talis hoveyi.	Hovey A	rhorvitae	3'_1' 0	ral in cha	ne nearly
occiden	as broad	as high I	Bright green	foliage	ai iii siia	pe, meanly
	12 to 15	in in	origin green	90	8.00	75.00
	15 to 18	in		1.25	11.00	70.00
	1 1/2 to 2	ft		1,50	13.50	
occiden	talis lutea.	Geo. Peab	odv Arbor	vitae. 10'		nspicuous
	golden v	allow form	Columna	r outling		
	15 to 18	in		1.00	9.50	
	$1\frac{1}{2}$ to 2	ft		1.50	. 14.00	
	2 to $2^{1}/$	½ ft		2.00		
	$2\frac{1}{2}$ to 3	ft		2.75		
	3 to $3\frac{1}{2}$	2 ft		3.50		
occiden	15 to 18 1½ to 2 2 to 2½ 2½ to 3 3 to 3½ talis plicata	a. Moss	Arborvitae.	10'-20'	Rich d	leep blue-
	green roi	lage. Shor	t, Suii Tein-	nke branc	mes give	pleasing
	effect in	light and sh	nade. Form	nal pyrami		00.00
	1 ½ 10 2	/ ft		1.15	10.00	90.00
	$\frac{2}{21}$ to $\frac{21}{21}$	2 II		1.23	11.00	160.00
	$\frac{27}{2}$ to $\frac{31}{2}$	/ f+		2.50	24.00	235.00
	$3\frac{1}{2}$ to 4	ft		3.25	31.00	233.00
	4 to 5	ft	*1.1.4	4.00	31.00	
oggidon	talis pyram	idalia Du	mamidal A	whomitaa	15' 20	' Pataina
occiden	bright gr	een colorine	g throughou	it winter	Narrow	columnar
	chane '	Splendid for	accents or	formal pla	nting	Columnai
	1 1/2 to 2	ft	accents or	1.00	9.50	85.00
	$\frac{1}{2}$ to $\frac{21}{2}$	ft ft		1.25	11.50	
	$2\frac{1}{2}$ to 3	ft		1.75	17.00	165.00
	$\frac{2}{3}$ to $\frac{3}{4}$	ft		2.60	25.00	240.00
					32.50	315.00
		ź ft		4.25	40.00	
	$4\frac{1}{2}$ to 5	ft		5.00		
	5 to 6					
occiden	talis recurva	nana. Li	ittle Gem A	\rborvitae	. 2' A	real gem
	for the r	ock garden.	Grows bi	roader thar	it does	in height.
	10 to 12	in		1.25		
	15 to 18	in		2.00		

	Each	Per 10	Per 100
THUJA occidentalis rosenthali. Rosenthal	Arborvita	ie. 6'-10)' Dense
rugged columnar form. Slow g	rower—go	od green	in winter.
12 to 15 in	\$1.15	\$10.00	\$85.00
15 to 18 in	1.25	11.50	100.00
1½ to 2 ft	1.50	13.50	125.00
2 to $2\frac{1}{2}$ ft	1.25 1.50 1.75	17.00	160.00
2½ to 3 ft	2.50		
occidentalis spaethi. Spaeth Arborvita leaves—heath-like and scaly. In	e. $2\frac{1}{2}$ '-4	Two	kinds of
12 to 15 in	.75		
15 to 18 in			
$1\frac{1}{2}$ to 2 ft	1.25		
occidentalis umbraculifera. Umbrella Ari	borvitae.	2'-3' Pa	rticularly
good—low mushroom shaped f	orm with	rich gree	n foliage.
12 to 15 in		11.00	
15 to 18 in	1.75	16.50	
1½ to 2 ft	2.00	10.00	
occidentalis vervaeneana. Vervaene Arb		Q'_19' \	Tariagatad
greenish yellow foliage, bronzy is	n winter—	broadly p	vramidal.
1½ to 2 ft			-
2 to 2½ ft	1.50	13.50	110.00
2½ to 3 ft		19.00	
3 to 3½ ft	2.75	.,,,,	
occidentalis vervaeneana aurea. Golden V		Arborvito	0 8'_19'
A more intense yellow than pre	ceding. Si	milar hab	oit.
2½ to 3 ft	-		
3 to 31/ ft	4.50		
3 to 3½ ft	6.00		
occidentalis wareana (sibirica.) Siberian		10'	E' Linhs
green fleshy foliage. Broadly py	vramidal. 1	ugged ar	pearance.
		9.50	85.00
15 to 18 in		12.50	115.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.65	16.00	150.00
$2\frac{1}{2}$ to 3 ft	2.50	24.00	150.00
3 to 3½ ft	3.50		
3½ to 4 ft	4.75		
orientalis (BIOTA) Oriental Arborvitae.	20'-25' Ra	ther stiff	columnar
habit, bright green foliage, bronze	in winter,	good acc	ent plant.
15 to 18 in	.60	5.00	
1½ to 2 ft	75	6.50	
$2^{1/2}$ to $2\frac{1}{2}$ ft		9.50	
$2\frac{1}{2}$ to 3 ft	1.75	16.50	
3 to $3\frac{1}{2}$ ft	2.50	23.50	
$3\frac{1}{2}$ to 4 ft		28.00	
4 to 5 ft		35.00	
orientalis aurea conspicua. Goldspire	Arborvita	e. 7'-8'	Golden
yellow in spring, bronze yellow			column.
15 to 18 in		11.00	
$\frac{1}{2}$ to $\frac{2}{2}$ ft	1.50	13.50	
$\frac{2}{21/4}$ to $\frac{21}{2}$ ft	2.50 3.25	23.50	
2½ to 3 ft	4.75	45.00	
7.2			
orientalis compacta. Siebold Arborvitae			compact
oval-shaped specimen. Good fr		COIOI.	
12 to 15 in	.75 1.25		
13 to 10 In	1.23		

Each Per 10 Per 100

THUJA (BIOTA) orientalis elegantissima. Yellow Column Arborvitae. 7'-8' Assumes rich deep golden bronze color in winter.

15	to	18	in		\$11.00
$1\frac{1}{2}$	to	2	ft	 1.50	13.50
2	to	$2\frac{1}{2}$	ft	 2.50	23.50
$2\frac{1}{2}$	to	3	ft	 3.25	31.00
3	to	$3\frac{1}{2}$	ft	 4.75	

orientalis nana aurea. Berckman Golden Arborvitae. 2½'-3' A gem for dwarf planting - compact roundish shape, warm golden yellow foliage. Especially good for formal work and edging.

9						0
6	to	8	in	.75	6.50	\$50.00
8	to	10	in	.85	7.50	65.00
			in			
12	to	15	in	1.35	12.50	115.00
15	to	18	in	1.50	14.00	
1 1	2	ft	••••	2.50		

TSUGA canadensis. Canada Hemlock. 75'-90' Most graceful and adaptable, the spreading horizontal branches making effective shadow effects. Useful as clipped hedge or informal planting.

1 1/2	to	2	ft	1.50
2	to	21/2	ft	2.00
$2\frac{1}{2}$	to	3	ft	2.50
3	to	31/2	ft	3.25

caroliniana. Carolina Homlook. 50'-60' A particularly fine evergreen with horizontal branches and thick green leaves—very hardy.

1 1/2	to	2	ft	2.00
2	to	21/2	ſt	3.00
21/2	to	3	ft	4.00

VIBURNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large oblong leaves deep green above gray beneath—bright red berries – a bo'd handsome shrub, but needs a she'tered place.

YUCCA filamentosa. Adam's Needle. 2'-3' Long lance-like leaves.

Tall flower spike grows up quickly in June-July. Numerous creamy flowers and general appearance give tropical effect.

Useful for massing with either evergreens or shrubbery.

vr.** .15 1.00

An Open Invitation

The best and really only way to become acquainted with the methods by which we grow nursery stock to maintain our slogan "QUALITY FIRST" is to visit our nurseries. We are only seventeen miles from New York City, and Millburn station on the D., L. & W. Railroad is within walking distance from us. If the Pennsylvania Railroad is more convenient, get off at Elizabeth station and call us up at Millburn 152 and we can meet you there. Street cars pass our office every half hour, giving direct communication with Elizabeth, Newark, Millburn and Summit. The auto roads are splendid in every direction, and we shall always be glad to show you around the nurse:ies—so come whenever you can.

ie.

10

Herbaceous Perennials

15c. each; \$1.20 ten; \$10.00 hundred, except where noted.

* indicates plants suitable for rockery or alpine gardens.

ACHILLEA ageratum. Sweet Yarrow. 2' Yellow, June-Sept. ptarmica Boule de niege. Ball of Snow Yarrow. 18" White, June-Sept. *tomentosa. Wooly Yarrow. 1' Yellow, June-Sept.

ALTHAEA. Hollylock. 5' Assorted, single and double, July-Aug.

*ALYSSUM. saxatile compactum. Dwarf Golden Tuft. 1' Yellow, April.

AQUILEGIA coerulea. Colorado Columbine. 18" Blue and white, May. coerulea alba. White Colorado Columbine. 18" White, May-June. chrysantha. Golden Columbine. 2' Yellow, May-June. formosa truncata. California Hybrids. 2' Various colors. May-June.

*ASTER alpinus. Rock Aster. 8" Lilac, May-June.

Beauty of Colwall. 4' Lavender. Aug.-Oct.

Climax. 4'-5' Lavender blue. A beauty.

St. Egwin. 3'-4' Rosy pink.

*sub-coeruleus. 12" Mauve, June-July.

*AUBRETIA deltoidea. Common Aubretia. 6"

BOLTONIA latisquama. Boltonia. 4' Lavender, Aug.-Sept.

latisquama nana. Dwarf Pinkray Boltonia. 2' Light Pink, Aug.-Sept.

CAMPANULA *carpatica. Carpathian Bellflower. 6" Light blue, July. *alba. White Carpathian Bellflower. 6" White, July-Aug.

glomerata. Danesblood. 18" Dark blue, June July.

medium. Canterbury Bells. 2' Blue, Pink, White, June.

medium calycanthema. Cup and Saucer. 2' Blue, pink, white, June-persicifolia Peach-leaved Bellflower. 2' Blue, June-July.

persicifolia alba. White Peach-leaved Bellflower. 2' White, June-July.

CHELONE lyoni. Lyon Turtlehead. 21/2' Red, Aug-Sept.

*CALANDRINIA umbellata. Peruvian Rock Purslane. 6" Purplish crimson, July-Oct.

CHRYSANTHEMUM

Maximum. Shasta Daisy. 2' White, July-Sept.

Dean Emery. 2½' Large. Yellow, medium, Oct.

La Garrone. 2' Large. Rose and buff, early.

Mrs. H. Harrison. 3' Pompom. Blush, early.

Soeur Melanie. 2½' Large. White, medium.

Tennyson. 2' Pompom. Red, late.

Uvalda. 2½' Pompom. White.

Yellow Doty. Pompom. Yellow, medium.

Zenobia. 18" Button. Yellow, early.

CONVALLARIA majalis. Lily-of-the-Valley.

COREOPSIS floribunda. Coreopsis. 2' Yellow, June-Sept. lanceolata. Lance Coreopsis. 2' Yellow, June-Oct.

DELPHINIUM belladonna. Larkspur. 2½' Light blue, June-Oct. chinensis. Slender Larkspur. 2' Deep blue, June-Oct. chinensis alba. White Slender Larkspur. 2' White, June-Oct. formosum. Hardy Larkspur. 2½' Dark blue, June-Oct. hybrids. Larkspur. 2' to 4' Blue, June-Oct. DIANTHUS barbatus. Sweet William. 1½' Dbl. red, white, pink, May-June. Newport pink. Sweet William. 18" Double Pink, May-June. *plumaris. 1' White, May-June. *Her Majesty. 10" Double White, May-June. DICTAMNUS alba (fraxinella). Gas Plant. 3' White, June-July. Particularly fine in large masses .25 18.00 2.00 *DRABA rupestris. Whitlow Grass. 4" .20 White, April-May..... 1.50 ECHINACEA purpurea. Purple Coneflower. 3½' Purple, July-Aug. ECHINOPS humilis. Globe Thistle. 2' Steel blue, July-Aug. EUPATORIUM coelestinum. Blue Mist-flower. 2' Blue, Aug.-Oct. FUNKIA subcordata. White Plantain Lilv. 18" White, July-Aug..... .20 1.50 18" Purplish blue, July-Aug. undulata variegata. Variegated Leaf Funkia. 18" Blue, July-Aug. GAILLARDIA grandiflora. Blanket Flower. 18" Yellow, Red, May-Nov. *GLOBULARIA trichosantha. Globe Daisy. 6" Blue, May-June. GYPSOPHYLLA paniculata. Baby's Breath. 2' White, June-July. *repens. Creeping Gypsophylla. 4" White, June-July. *HELIANTHEMUM. 18" Fickle Sunrose. Pink, May-Sept. A gem for the rockery .20 1.50 HELENIUM autumnale superba. Sneezeweed. 4' Yellow. Aug.-Sept. Riverton Gem. Bronze Sneezeweed. 3' Bronze, Aug.-Sept. HELIANTHUS fl. pl. 4'-5' Yellow, Aug.-Sept. HELIOPSIS helianthoides pitcheriana. Pitcher Heliopsis. 3' Yel., Aug. HEUCHERA sanguinea. Alum Root. 18" Crimson, May-Sept. sanguinea alba. White Alum Root. 18" White, May-Sept. HIBISCUS crimson eye. 4' White, crimson centre. Aug.-Sept. moscheutos. Mallow Marvels. 4' Aug.-Sept. HOLLYHOCK. (See Althea.) In separate colors. *IBERIS sempervirens. Little Gem. Candytuft. 6" White, April. IRIS *pumila cyanea. Dwarf Iris. 8" Purple, May. germanica. Fleur-de-lis. (German Iris). Each Per 10 Per 100 1½'-2½'.... .15 1.00 6.00 Aurea—yellow. H. Cramer-lavender blue. Dr. Bernice-bronze. Landseer. Yellow. Florentina-white. Loreli-yellow. Granite Blue-light blue. Mme. Pacquitte-rosy claret. Gracchus-pale yellow, red. Mrs. H. Darwin-white, violet base. Her Majesty—pink. Pallida Speciosa-deep lavender. kaempferi. Japanese Iris. 2'-21/2'..... .20 1.50 Eclipse—double purple. Oyodo-dark purple. J. C. Vaughan-white. Purple, Yellow Centre. Red, White Centre. Light Blue.

sibirica. Siberian Iris. 2' Purple, May-June.

LATHYRUS latifolius. Perennial Pea. 3' Pink, June-Aug

sibirica alba. White Siberian Iris. 2' White, May-June.

.20

1.80

HERBACEOUS PERENNIALS *LINUM perenne. Blue Perennial Flax. 1' June-July. LOBELIA syphilitica. Large Blue Lobelia. 2' Blue, Aug.-Sept. syphilitica alba. White, Aug. Sept. LYCHNIS chalcedonica. Maltese Cross. 2' Scarlet, June-July. haageana. Haage Campion. 1' Scarlet, May-June. viscaria splendens. Rosepink Campion. 1' Crimson, May-June. LYTHRUM salicaria roseum. Rose Loose-Each Per 10 \$.20 strife. 2½' Pink, July-Aug. \$1.50 MATRICARIA inodora. Scentless False Chamomile. 18" White, June-Sept MISCANTHUS sinensis gracillimus. Maiden Grass (EULALIA). 21/2 sinensis. Variegated Striped Eulalia. 2½' MONARDIA media. Oswego Bee Balm. 2½' Rosy red, June-Aug. *MYOSOTIS scorpioides (palustris). Forget-me-not. 10" Blue, May-Sept *NIEREMBERGIA rivularis. Whitecup. 4" White, June-Aug. OENOTHERA youngi. Evening Primrose. 2' Yellow, June-Aug. speciosa. White Sundrops. 18" White, Aug.-Sept. PACHYSANDRA terminalis. Japanese Spurge. 8" Greenish white, May PAEONIA sinensis. Peony...... .50 4.00 50.00 Agida -red. Festiva Alba-white. Albatree—white. Festiva Maxima-white. Albert Crousse-rose white. Lady Dartmouth -. white. August d'Hour-dark red. La Tulipe—white. Canari-vellow. Mad. L. Calot-pink. Couronne d'Or-white. Mad. Moutot-pink. Delachi-red. Magnifica—white. Duc de Wellington-white. Marie Des Holmes- /hite. Duchesse de Nemours -- white Marie Lemoine-white. Edouard Andre-Carmine. McMahon-red. Eugene Verdier-pink. Meissonier-purple red. Faust-pink. Mme, de Vernev.lle - white. Felix Crousse-red. Rose d'Amour-pink. PENTSTEMON torreyi. Torrey Pentstemon. 3' Scarlet, June-Aug. PHALARIS arundinacea. Reed Canary Grass. 3' PHLOX arendsi. Louise. I' Lilac, May-July. Blue. 1' Lavender blue, May. *divaricata. decusatta. Garden Phlox. 1½'-2' July-Sept. Baron Von Heeckeren. Salmon-pink .20 1.80 15.00 Coquelicot. Brilliant Scarlet..... .20 1.80 15.00 Deutschland. Bright orange-red20 1.80 15.00 Eclaireur. Violet-red, pink eye. Elizabeth Campbell. Delicate Salmon-pink .20 1.80 15.00 Fraulein Von Krupp. White dwarf G. A. Strohlein. Orange-scarlet, darker eye .20 15.00 1.80 General Von Heutz. Salmon-red, white centre Gruppenkonigin. Pale rose, darker centre Hindenberg. Intense Crimson20 1.80 15.00 Jules Sandeau. Pure pink, dwarf Mrs. Jenkins. (Independence), white Queen. White, early R. P. Struthers. Red, crimson eye

Rhynstroom. Deep pink Sunshine. Pink, darker eye Thor. Salmon-pink, crimson eye, large Wanadis. Lilac, purple eye Widar. Reddish violet, white centre

```
50
*PHLOX ovata (carolina). 12" Rosy red, June-July.
    *subulata. Moss Pink. 4" Pink. April-May
    *subulata alba. White Moss Pink. 4" White, April-May
    *subulata G. F. Wilson. Lavender Moss Pink. 4"
                                                           15.00
          Lavender blue, April-May.....
                                             .25
    suffruticosa. Miss Lingard. Tall, vigorous. White, pink eye
PLATYCODON grandiflorum. Balloon Flower. 18" Light blue, June-July
    grandiflorum album. 18" White, June-July
    Mariesi. Maries Balloon Flower. 12" Blue, June-July
*POLEMONIUM Richardsoni. Jacob's Ladder. 12" Blue, June-July.
PYRETHRUM hybridum. Painted Lady. 2' Double mixed. July-Aug.
RUDBECKIA speciosa (newmanni). Showy Cone-flower. 2' Yellow, Aug.
SALVIA argentea. Silver Sage. 2' Light tlue, June-July
    azurea grandiflora (Pitcheri). Great Azure Salvia. 3'-4' Lt. blue, Aug.
    pratensis. Meadow Sage. 2' Deep violet blue, June-July
*SEDUM acre. Gold Moss. 3" Yellow, May-June
    *album. White Stonecrop. 3" White, May-June
    *kamtschaticum. Orange Stonecrop. 8" Yellow, July-Aug.
    *reflexum. Jenny Stonecrop. 8'-10" Yellow, June.
    *sarmentosum. Stringy Stonecrop. 2" Yellow, June-July.
    *sieboldi. Siebold Stonecrop. 6"-8" Pink, Aug.-Sept.
    spectabile. Showy Stonecrop. 18" Pink, Aug.-Sept.
    *stoloniferum. Running Stonecrop. 6" Pink, July-Aug.
    *hispanicum. Spanish Stonecrop. 4" Pale pink, July.
    *rupestre. 6"-8" Yellow, June
                                                           12.00
                                            .20
                                                   1.50
STACHYS lanata. Wooly Betony. 18" Purple, June-July.
STOKESIA laevis. Blue Stokes Aster. 18" Blue, July-Oct.
    laevis alba. White Stokes Aster. 18" White, July-Oct.
*THYMUS serphyllum splendens. Firefly Thyme. 2" Red, June-July.
*TUNICA saxifraga. Tunic Flower. 6" White, July-Aug.
VERONICA longifolia subsessilis. Clump Speedwell. 2' Violet-blue, Aug.
```

*repens. Creeping Speedwell. 2" Blue, May *rupestris. Pink. 4" Pink, May-June.

spicata. Spike Speedwell. 18" Blue, June-July. *VINCA minor. Periwinkle. 4" Lilac blue, April-May. 3" pots, 80.00 thousand.

*VIOLA cornuta. Tufted Pansy. 8" Blue-violet, June-Aug.

THESE PERENNIALS ARE ALL STRONG, FIELD-GROWN CLUMPS AND WILL GIVE IMMEDIATE EFFECT. WE ALSO HAVE SMALL POT-GROWN PLANTS OF OTHER VARIETIES.

3

FRUIT 51

Fruit Trees and Bushes

_		o alla i	Duoire		
APPLES AND			Each	Per 10	Per 100
	n. and up in. to 1 in		\$1.00	\$5.00	\$45.00
11-	16th to ½ in	A	.40	3.50	30.00
Med	d. grade, $\frac{5}{8}$ in. to 1 l	-16th inM	.30	2.50	20.00
SUMMER	AUTUMN		WINTE	R	
Early Harvest	Duchess	Baldwin		rthern S	
Early Strawberry	Fall Pippin Grimes Golden	Delicious Fameuse (S		me Beau xbury R	-
Gravenstein	King	Golden Ru		-	
Red Astrachan	Sweet Bough	Jonathan			Winesap
Williams E. Red		McIntosh	Sta		dol
	vvealthy	N. W. Gree R. I. Greer	ening 10 ning Wi	nter Bai	nana
	—Hyslop, Red Sil				
APPLES—Dwarf					
		A	.60	5.00	
	in. to ³ / ₄ in in. to ⁵ / ₈ in				117 - 161 -
	us, Fall Pippin, R	. I. Greening	g, Northe	rn Spy,	w ealtny.
PEARS—Standar	rd and up	VV	1.00		
1/8	in. to l in	X	.75	6.00	
1.1.1	16th in. to $\frac{7}{8}$ in. lo 11 grade, $\frac{5}{8}$ in. to 11	. Δ	50	4.50	
Bartlett Beurre Bosc	Clapp'	s Favorite		wrence	
Bartlett	Clapp' Duche	s Favorite	La ^s Sec	wrence	
Bartlett Beurre Bosc	Clapp' Duche	s Favorite	La ^s Sec	wrence kel	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf	Clapp' Duche	s Favorite ss	La Sec She	wrence kel ldon	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med	Clapp' Duche jou Kieffer	s Favorite ss upA	La Sec She .60 .45	wrence kel ldon 5.00 4.00	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou	Clapp' Duche jou Kieffer t grade, 5/8 in. and grade, 1/2 in. to 5/ pp's Favorite, Ducar	upA inB chess, Louise	La Sec She .60 .45	wrence kel ldon 5.00 4.00	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou	Clapp' Duche jou Kieffer t grade, 5/8 in. and grade, 1/2 in. to 5/ pp's Favorite, Ducar	upA inB chess, Louise	La Sec She .60 .45	wrence kel ldon 5.00 4.00	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou	Clapp' Duche jou Kieffer t grade, 5/8 in. and grade, 1/2 in. to 5/ pp's Favorite, Ducar	upA inB chess, Louise	La Sec She .60 .45	seckel. 6.50 4.00	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou 1 in. 7/8 i 111-1 5/8 i	Clapp' Duche jou Kieffer t grade, ½ in. and grade, ½ in. to 5 pp's Favorite, Ducur and up	s Favorite ss up	La Sec She .60 .45	wrence kel ldon 5.00 4.00 Seckel.	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou 1 in. 7/8 ii 11-1 5/8 ii Early Richmo	Clapp' Duche jou Kieffer t grade, ½ in. and grade, ½ in. to ½ pp's Favorite, Ducur and up	upA % inB chess, Louise	La Sec She .60 .45 e Bonne, 1.00 .75 .50 .35	seckel. 6.50 4.00	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou 1 in. 7/8 ii 11-1 5/8 ii Early Richmo	Clapp' Duche jou Kieffer t grade, ½ in. and grade, ½ in. to ½ pp's Favorite, Ducur and up	upA % inB chess, Louise	La Sec She .60 .45 e Bonne, 1.00 .75 .50 .35	seckel. 6.50 4.00	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou 1 in. 7/8 ii 11-1 5/8 ii Early Richmo	Clapp' Duche jou Kieffer t grade, ½ in. and grade, ½ in. to ½ pp's Favorite, Ducur and up	upA % inB chess, Louise	La Sec She .60 .45 e Bonne, 1.00 .75 .50 .35	swrence kel ldon 5.00 4.00 Seckel. 6.50 4.00 3.00	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou 1 in. 7/8 ii 11-1 5/8 ii Early Richmo	Clapp' Duche jou Kieffer t grade, ½ in. and grade, ½ in. to ½ pp's Favorite, Ducur and up	upA % inB chess, Louise	La Sec She .60 .45 e Bonne, 1.00 .75 .50 .35	seckel. 5.00 4.00 Seckel. 6.50 4.00 3.00	
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou 1 in. 7/8 ii 11-1 5/8 ii Early Richmo	Clapp' Duche jou Kieffer t grade, ½ in. and grade, ½ in. to ½ pp's Favorite, Ducur and up	upA % inB chess, Louise	La Sec She .60 .45 e Bonne, 1.00 .75 .50 .35	seckel. 5.00 4.00 Seckel. 6.50 4.00 3.00 .	Spanish.
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou 1 in. 7/8 i 11-11 5/8 i CHERRIES—Swe 11/8 1 in. 7/8 i 11-1 5/8 i Black Tartari	Clapp' Duche jou Kieffer t grade, ½ in. and grade, ½ in. to 5 pp's Favorite, Ducur and up in. to 1 in ofth in. to ½ in nond, Montmorence eet in. and up in. to 1½ in ofth in. to ½ in not to 1½ in ofth in. to ½ in in. to 11-16th in ian, Downer's La	up	La Sec She .60 .45 e Bonne, 1.00 .75 .50 .35 \$1.50 1.25 1.00 .75 .60 v. Wood,	seckel. 5.00 4.00 Seckel. 6.50 4.00 3.00 .	Spanish.
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou 1 in. 7/8 i 11-11 5/8 i CHERRIES—Swe 11/8 1 in. 7/8 i 11-1 5/8 i Black Tartari	Clapp' Duche jou Kieffer t grade, ½ in. and grade, ½ in. to 5 pp's Favorite, Ducur and up in. to 1 in ofth in. to ½ in nond, Montmorence eet in. and up in. to 1½ in ofth in. to ½ in not to 1½ in ofth in. to ½ in in. to 11-16th in ian, Downer's La	up	La Sec She .60 .45 e Bonne, 1.00 .75 .50 .35 \$1.50 1.25 1.00 .75 .60 v. Wood,	seckel. 6.50 4.00 3.00 4.00 3.00 \$8.50 6.00 5.00 Yellow	Spanish.
Bartlett Beurre Bosc Beurre d'Anj PEARS—Dwarf First Med Bartlett, Clap CHERRIES—Sou 1 in. 7/8 i 11-1 5/8 i 11-1 5/8 i Black Tartari PLUMS— 1 in 7/8 i 11-1	Clapp' Duche jou Kieffer t grade, ½ in. and grade, ½ in. to ½ pp's Favorite, Ducur and up	up	La Sec She .60 .45 e Bonne, 1.00 .75 .50 .35 \$1.50 1.25 1.00 .75 .60 w. Wood, 1.00 .75 .50	\$8.50 6.00 5.00 4.00 \$eckel.	•

	T71-	D 10	D 100
DDACHDO 3/: 1 5.76 VV	Each	Per 10	Per 100
PEACHES—¾ in. and up, 5 to 7 ftXX	\$.50	\$4.00	\$35.00
5% in. to 34 in., 4 to 6 ft	.40	3.00 2.50	25.00 20.00
9-16th in. to $\frac{5}{8}$ in., 4 to 5 ftA 7-16th in. to 9-16th in., 3 to 5 ftM	.25	2.00	15.00
5-16th in. to 7-16th in., 3 to 4 ftB	.20	1.50	10.00
	.20	1.50	10.00
F. indicates Freestone.			
EARLY MID-SEASON		LATE	
Carman F., White Belle of Georgia F., Wh	. Kru	mmel Oc	tober
Champion F., White Late Crawford F., Yel.		F., Yello	w
E i C (i E 37 i	For	Seedling	•
Fitzgerald F., Yellow Elberta F., Yellow	1.0x	F., Whit	
Halo E Vallari		1'-, WIIII	e
Mountain Rose F., Wh. Iron Mountain F. White			
110diftain 1tose 1 ., Will	5		
Ray F., White Miss Lolo F., White			
QUINCES— ¾ in., 4 to 5 ftX	.85	7.50	
5/8 in., 3 to 4 ft	.60	5.00	
$\frac{1}{2}$ in., $2\frac{1}{2}$ to 3 ft	.50	3.50	
Champion, Orange.			
NUTS			
Butternut—4 to 6 ft	.65		
6 to 8 ft	.75		
Hickory—Shelfbark			
3 to 4 ft	1.00		
4 to 5 ft	1.25		
Walnut-Black			
18 in	.50		
2 to 3 ft	.75		
3 to 4 ft	1.00		
4 to 5 ft	1.25		
Japan4 to 6 ft	1.00		
8 ft	1.50		
GRAPES—			
Brighton, black			
Campbell's Early, black yr.	.30	2.50	20.00
Delaware, red	.50	2.50	20.00
,			
Agawam, red			
Clinton, black			
Moore's Early, black			
Moore's Diamond, white 2 yr.	.25	2.00	15.00
Niagara, white			
Worden, black			
Catawba, red			
Concord, black2 yr.	.20	1.50	10.00
CURRANTS—			
Cherry			
2 17	\$.20	\$1.50	\$10.00
ray S I Tolline			
Lee's Black			
White Grape /			
Perfection	.25	2.00	15.00
GOOSEBERRIES. 2 vr		2.00	15.00
GOOSEBERRIES	-20		
RASPBERRY—Cuthbert, Columbian, St. Regi	s (everh	earing)	5.00
BLACKBERRIES—Blower's, Erie, Rathbun	o (ever)	caring/	5.00
STRAWBERRIES			5.00
ASPARAGUS—2 yr			2.00
RHUBARB	.15	1.00	6.00

INDEX OF BOTANICAL AND COMMON NAMES

A P.	AGE	1	
Abies	. 32	Cantorbury Polls	AGE
Acanthopanax	. 1	Canterbury Bells	_ 47
Acanthopanax	1. 2	Caragana Carpinus Caryopteris Catalpa Cedar	- 6 - 6
Achillea	47	Carvonteris	- 6
Actinidia	. 2	Catalpa	_ 6
Aesculus	. 2	Cedar3	7, 38
Ailanthus Akebia Almond, Flowering	. 2	Celtis	6
Akebia	2 3	Celastrus	6
Almond, Flowering	. 3	Cepharanthus	6
Althaea	47	Cerasus	. 7
Alum Root	48	Cercidiphyllum	- 7 - 7
Amolenehior	47	Cercis	7
AmelanchierAmorpha	9	Chamaecyparis 4 Chamaedaphne Chaste Tree	0, 42
Amnelonsis	3	Chamaedaphne	. 33
AmpelopsisAmygdalus	3	Chalana Chalana	- 30
Andromeda	32	Chelone Cherries	47
AndromedaAquilegia	47	Cherry Flowering	- 51
Apples	51	Cherries Cherry, Flowering 1 Cherry, Wild Black	8 ,19
Aralia Arbor Vitae 43, 44, 45 Aronia	3		
Arbor Vitae 43, 44, 45	5, 46	Chrysanthemum	47
Aronia	3	Chrysanthemum Chokeberry Cimicifuga Cinquefoil Clematis	. 41
Arrow Wood Ash Asparagus Aster	29	Cimicifuga	3 47
Ash	11	Cinquefoil	18
Asparagus	52	Clematis	7
Aster	47		
Aubretia	47	Columbine Colutea	47
Azaleas 3. 4.	, 32	Colutea	7
		Comptonia Coneflower, Purple Coneflower, Showy Convallaria Coral Berry Cornus	47 7 7
В		Coneflower, Purple	. 48
BaccharisBaby's Breath	4	Coneflower, Showy	. 50
Baby's Breath	48	Convallaria	. 47
Balloon Flower	50	Coral Berry	27
Balloon Flower Barberry 4 Bay Berry	, 33	Cornus	7, 8
Poputy Popuy	16 6	Coreopsis Cornel	7 47
Beauty BerryBee Balm	49	Corylus	. 8
Rooch Phim	19	Cotonogator	0.0
Bell Flower	47	Crah Annles	51
Beech Plum Bell Flower Benzoin Berberis 4, 5	4	Crab Apples Crab Apple, Flowering Cranberry Cranberry Dwarf Crataegus Cryptomeria	16
Berberis 4. 5	. 33	Cranberry	29
Betony	50	Cranberry, Dwarf	30
BetonyBetula	5	Crataegus	8, 9
Bignonia	5	Cryptomeria	34
Biota 45.	46	Cup and Saucer	47
DIF(II	5	Cup and Saucer Currants Currant, Flowering Cydonia	52
Bittersweet	6	Currant, Flowering	21
Black Alder	12	Cydonia	9
BlackberriesBlack Haw	52	Cypress 40, 41	, 42
Black Haw	30	Cytisus	9
Bladder Senna Bladder Nut Blanket Flower Bluebeard	7 27	р	
Blanket Flores	48	Danesblood	47
Shopord	6	Daphne	34
Rlug Rorry	29	Delphinium	48
Blue BerryBlue Spirea	6	Desmodium	9
Soltonia	47	Deutzia	9
Boston Ivy	3	Dianthus	48
Boston Ivy Box Elder Boxwood	1	Dictamnus	48
Boxwood	33	Diervilla	10
Buckeye	2	Diospyros	10
Buddleia	6	Dogwood	7, 8
Buckthorn	20	Draba	48
Sugbane	47		
Bush CloverButtonbush	13	Œ	
Suttonousn	6	Echinacea	48
Butterfly BushBuxus	6 33	Rehinons	48
Juaus	99	EleagnusElder	10
G.	1	Elder	25 29
Calandrinia	47	ElmEulalia	49
Callicarpa	6	Euonymus 10,	
	33	Eupatorium	48
alveanthus	6	Evening Primrose	49
Calycanthus	47	Exochorda	10
ampion	49	22-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-	
Canary Grass	49	F	
anary Grassandleberry	16	Fagus	10
andytuft	48	False Chamomile	49

	PAGE
False Spirea 25	Kentucky Coffee Tree 11
Fir	Korria 15
Elow 40	Koolroutorio 19
Fleur-de-lis 48 Forget-me-not 49 Forsythia 10, 11 Fraxinus 11 Funkia 48	Kerria 15 Koelreuteria 15 Kudzu Vine 15
Fleur-de-lis 48	Kudzu vine 18
Forget-me-not 49	
Forsythia 10, 11	L
Fraxinus 11	Laburnum 15 Larch 15
Funkia 48	Larch
r unata 70	Larix1
	Larix 1: Larkspur 4: Lathyrus 4: Leatherleaf 3: Leiophyllum 38 Lespedeza 1: Leucothoe 3: Ligustrum 13, 1: Lilac 27, 2: Lily of the Valley 4* Linden 28, 2: Lindera 2 Linum 4*
G	Larkspur 48
Gaillardia 48	Lathyrus 48
Gas Plant 48	Leatherleaf 35
Genista11	Loionhyllum
Ci-l	Teamedane 16
Ginkgo 11	Lespedeza
Gaillardia 48 Gas Plant 48 Genista 11 Ginkgo 11 Globe Daisy 48 Globe Daisy 48 Globe Daisy 48 Golden Bell 10, 11 Golder Chain 13 Gold Flower 12 Gold Moss 50 Golden Tuft 47 Gooseberries 52 Grapes 52	Leucothoe 38
Globe Daisy 48	Ligustrum13, 14
Globularia 48	Lilac 27 28
Golden Bell 10, 11	Lily of the Velley A
Caldan Chair	Timber of the valley
Golden Chain 13	Linden28, 29
Gold Flower 12	Lindera
Gold Moss 50	Linum 49
Gold Moss 50 Golden Tuft 47	Linum 4 Liquidambar 1 Liriodendron 1
Gooseberries 52	Liviodondron
Company 50	Table 1
	Lobelia 49
Groundsel Bush 4 Gymnocladus 12	Locust, Black 3:
Gymnocladus 12	Lonicera14, 15, 38
Gymnocladus 12 Gypsophylla 48	Loosestrife 49
ojpopijia alleeseeseeseeseesees	Lychnic
н	Liptolentroll
	Lyclum 1
Hackberry 6 Halesia 11 Hamamelis 11 Hardhack 26 Hardy Pink 48 Hawthorn 8, 9 Hazel Nut 8 Hedera 34 Helenium 48 Helianthemum 48	Lythrum 49
Halesia 11	
Hamamelis 11	M
Hardback 26	Magnolia 10
Hardy Pink 48	Mehonie 26
Translation 0 0	Manufia
Hawthorn 8, 9	Maiden Grass 43
Hazel Nut 8	Maidenhair Tree 1
Hedera 34	Mallow Marvels 48
Helenium 48	Maltese Cross 4
Helianthemum 48	Molne
Helianthus 48	Marile
rienantinus 40	Maple1,
Heliopsis 48	Marsh Mallow 48
Hemlock 46	Matricaria 49
Hercules' Club 3	Motrimony Wine
Houchers 48	Missanthus 4
Heuchera 48	Miscanthus4
Heuchera 48 Hibiscus 11, 12, 48	Miscanthus 4 Mistflower 4
Heuchera 48 Hibiscus 11, 12, 48 Highbush Blueberry 29	Miscanthus 4 Mistflower 4 Mock Orange 16, 1'
Heuchera 48 Hibiscus 11, 12, 48 Highbush Blueberry 29 Holly 34, 35	Miscanthus 4 Mistflower 4 Mock Orange 16, 17 Monardia 4
Heuchera 48 Hibiscus 11, 12, 48 Highbush Blueberry 29 Holly 34, 35 Holly Grape 34, 35	Miscanthus
Heuchera 48 Hibiscus 11, 12, 48 Highbush Blueberry 29 Holly 34, 35 Holly Grape 38 Hollybock 47	Miscanthus 4 Mistflower 4 Mock Orange 16, 17 Monardia 4 Morus 10 Moss Pink 55
Heuchera 48 Hibiscus 11, 12, 48 Highbush Blueberry 29 Holly 34, 35 Holly Grape 38 Hollyhock 47 Honey Locust 11	Miscanthus 44 Mistflower 44 Mock Orange 16, 17 Monardia 44 Morus 1 Moss Pink 55 Mountain Ash 92
Heuchera	Miscanthus 4 Mistflower 4 Mock Orange 16, 17 Monardia 4 Morus 1 Moss Pink 55 Mountain Ash 2 Mountain Lange 2
Heuchera 48 Hibiscus 11, 12, 48 Highbush Blueberry 29 Holly 34, 35 Holly Grape 38 Hollyhock 47 Honey Locust 11 Honeysuckle Bush 10, 14, 15, 38	Miscanthus 4 Mistflower 4 Mock Orange 16, 17 Monardia 4 Morus 11 Moss Pink 55 Mountain Ash 2 Mountain Laurel 3
Heuchera 48 Hibiscus 11, 12, 48 Highbush Blueberry 29 Holly 34, 35 Holly Grape 38 Hollyhock 47 Honey Locust 11 Honeysuckle Bush 10, 14, 15, 38 Honeysuckle Vine 15	Martinony 4 Misteflower 4 Mock Orange 16, 1' Monardia 4 Morus 1 Moss Pink 5 Mountain Ash 2 Mountain Laurel 3 Mulberry, Weeping 1
Heuchera	Mathinuny 4 Mistallower 4 Mock Orange 16, 17 Monardia 4 Morus 1 Moss Pink 5 Mountain Ash 2 Mountain Laurel 3 Mulberry, Weeping 1 Myosotis 4
Heuchera 48 Hibiscus 11, 12, 48 Highbush Blueberry 29 Holly 34, 35 Holly Grape 38 Holly Hore 47 Honey Locust 11 Honeysuckle Bush 10, 14, 15, 38 Honeysuckle Vine 15 Hop Tree 19 Hornbeam 6	Miscanthus 4 Mistflower 4 Mock Orange 16, 17 Monardia 4 Morus 1 Moss Pink 5 Mountain Ash 2 Mountain Laurel 3 Mulberry, Weeping 11 My osotis 4 Myrica 1
Heuchera	Mathamany 4 Mistflower 4 Mock Orange 16, 17 Monardia 4 Morus 1 Moss Pink 5 Mountain Ash 2 Mountain Laurel 3 Mulberry, Weeping 11 Myosotis 4 Myrica 1 Myrtle 5
Heuchera	Miscanthus 4 Mistflower 4 Mock Orange 16, 17 Monardia 4 Morus 1 Moss Pink 5 Mountain Ash 2 Mountain Laurel 3 Mulberry, Weeping 1 Myosotis 4 Myrica 1 Myrtle 5
Heuchera	Mathaman 4 Mistflower 4 Mock Orange 16, 17 Monardia 4 Morus 1 Moss Pink 5 Mountain Ash 2 Mountain Laurel 3 Mulberry, Weeping 11 Myosotis 4 Myrica 1 Myrtle 5
Helianthus	Mock Orange 16, 1' Monardia 4* Morus 1: Moss Pink 5 Mountain Ash 2 Mountain Laurel 3: Mulberry, Weeping 1: Mysosotis 4* Myrica 1: Myrtle 5
Heuchera	Miscanthus 4: Mistflower 4. Mock Orange 16, 17 Monardia 4: Morus 1. Moss Pink 55 Mountain Ash 22 Mountain Laurel 33 Mulberry, Weeping 11: Myosotis 4: Myrica 11 Myrtle 55 N Nanking Cherry 1:
Heuchera	Miscanthus 4 Mistflower 4 Mock Orange 16, 17 Monardia 4 Morus 1 Moss Pink 55 Mountain Ash 22 Mountain Laurel 33 Mulberry, Weeping 11 Myosotis 4 Myrica 14 Myrtle 5 N Nanking Cherry 1 Nannyberry 3
Heuchera	Miscanthus 4: Mistflower 4. Mock Orange 16, 1' Monardia 4: Morus 1. Moss Pink 55 Mountain Ash 2. Mountain Laurel 3: Mulberry, Weeping 11: Myrica 11: Myrite 55 N Nanking Cherry 1: Nannyberry 3 Nierembergia 4:
Heuchera	Miscanthus 4 Mistflower 4 Mock Orange 16, 17 Monardia 4 Morus 1 Moss Pink 55 Mountain Ash 22 Mountain Laurel 33 Mulberry, Weeping 11 Myosotis 4 Myrtle 5 N Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Mistflower 16, 12 Nierembergia 4 Ninebark 1 Mistflower 16, 12 Mistflower 17 Nierembergia 4 Ninebark 1 Mock Orange 16, 12 Mistflower 16, 12
Heuchera	Miscanthus 4: Mistflower 4. Mock Orange 16, 1' Monardia 4: Morus 1. Moss Pink 55 Mountain Ash 2. Mountain Laurel 3: Mulberry, Weeping 11: Myrica 11: Myrtle 5: N Nanking Cherry 1: Nannyberry 3 Nierembergia 4: Ninebark 1' Norway Maple
Heuchera	Miscanthus 4 Mistflower 4 Most Orange 16, 17 Monardia 4 Morus 1 Moss Pink 55 Mountain Ash 22 Mountain Laurel 33 Mulberry, Weeping 11 Myosotis 4 Myrtica 11 Myrtle 5 N Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 17 Norway Maple 1 Nuts 55
Heuchera	Miscanthus 4: Mistflower 4: Mock Orange 16, 1' Monardia 4: Morus 1: Moss Pink 55 Mountain Ash 2: Mountain Laurel 3: Mulberry, Weeping 1: Myrica 1: Myrtle 5: N Nanking Cherry 1: Nannyberry 3: Nierembergia 4: Ninebark 1: Norway Maple Nuts 5: Mistflower 1: Ninebark 1: Norway Maple 5: Norway Maple 5: Norway Maple 5: Norway Maple 5: More 1: Mistria 1: Mist
Heuchera	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5
Heuchera	Nanking Cherry 1: Nannyberry 3: Nierembergia 4: Ninebark 1: Norway Maple 5
Heuchera	Nanking Cherry 1: Nannyberry 3: Nierembergia 4: Ninebark 1: Norway Maple 5
1	Nanking Cherry 1: Nannyberry 3: Nierembergia 4: Ninebark 1: Norway Maple 5
Section	Nanking Cherry 1: Nannyberry 3: Nierembergia 4: Ninebark 1: Norway Maple 5
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1 Nannyberry 3 Nierembergia 4 Ninebark 1 Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7,
Section	Nanking Cherry 1: Nannyberry 3: Nierembergia 4 Ninebark 1' Norway Maple 5 Nuts 5 Oak 19, 2 Oenothera 4 Osier 7, 0 Oxydendrum 1 Pachysandra 4 Paeonia 4 Painted Lady 5 Pangoda Tree 2 Panlownia 1

	PAG	TΕ
Peony 49 Perenuial Pea 48 Periwinkle 50 Persimmon 10 Phalaris 49 Philadelphus 16, 17 Photon 49, 50 Photinia 17 Physocarpus 17 Picea 38 Pieris 17, 39 Pine 39, 40 Pinus 39, 40 Plane Tree 18 Plantain Lily 49	PAG Spirea 25, Spruce Stachys Stagger Bush Stapphylea Stephanandra Stokes Aster Stokesia Stonecrop Storax Strawberries	20
Perennial Pea 48	Spruce	38
Periwinkle 50	Stachys	50
Persimmen 10	Stagger Bush	10
Phylaric 40	Stanhylea	9
Philadelphus 16 17	Stophonondro	5
Philadelphus 10, 17	Stephanandra	41
Philox 49, 50	Stokes Aster	50
Photinia 17	Stokesia	50
Physocarpus 17	Stonecrop	50 27 52 27 21
Picea 38	Storax	27
Pieris 17, 39	Storax Strawberries Styrax Styrax Sugar Maple Sumach 20, Summer Sweet Sundrops Sunrose Sweet Bay Sweet B	52
Pine 39, 40	Styrax	27
Pinus 39 40	Sugar Manle	-6
Diana Troc	Sumuch	91
District Lile 40	Carried Charles	
Plane Tree 18 Plantain Lily 49 Platanus 18 Platycodon 50 Plum, Double Flowering 19 Plums 51 Polemonium 50 Poplar 18 Populus 18	Summer Sweet	1
Platanus 18	Sundrops	49
Platycodon 50	Sunrose	48
Plum, Double Flowering 19	Sweet Bay	16
Plums 51	Sweet Gum	14
Polemonium 50	Sweet Pea Hardy	48
Poplar 18	Sproot Donnor Prich	7
Describes 10	Smoot Charle	ď
Populus 18	sweet surub	16
Potentilla 18	Sunrose Sweet Bay Sweet Gum Sweet Pea, Hardy Sweet Fepper Bush Sweet Shrub Syzetspire	$\frac{12}{48}$
Privet 13, 14		48
Prunus 18, 19	Symphoricarpos	27
Ptelea 19	Symphoricarpos 27,	28
Pueraria 19		
Purp'e-leaf Plum 19	T	
Dyrothrum 50	Tamarix	28
Poplar 18 Populus 18 Potentilla 18 Privet 13, 14 Prumus 18, 19 Ptelea 19 Pueraria 19 Purp'e-leaf Plum 19 Pyrethrum 50	Toyne	16
	Whate 40 41 17	10
Quercus 19, 20	Tamarix Taxus Thuja 43, 44, 45, Thyme Thymus Tilia 28, Tree of Heaven Trumpet Vine Tulip Tree Tunic Flower Tunic Flower Tunica Turtlehead Tsuga	4
Quercus 19, 20	Thyme	50
Quince, Flowering 9	Thymus	50
Quince, Flowering 9 Quinces 52	Tilia 28.	29
	Tree of Heaven	-6
R	Trumpet Vine	P
Raspberry Flowering 24 Raspberry 52 Redbud 7 Redsed by 27	Tulin Tree	14
Raspherry 52	There is Till and its	17
Raspberry 32	Tunic Flower	<u> </u> Θ(
Redbud	Tunica	9(
	Turtlehead	47
Red Maple 2	Tsuga	40
Red Maple 2 Retinispora 40, 41, 42 Rhamuus 20 Rhodotypos 20		
Rhamnus 20	XT.	
Rhodotypos 20	U	00
Phododondron 49	' 'Inus	29
Rhotology 20 22 22 23 24 24 24 24 24	Umbrella Tree	16
Khubarb 02		
Khus 20, 21	V	
Ribes	Vaccinium	•)(
Robina21	Vaccinium	29
Robina	Vaccinium Valerian	$\frac{29}{50}$
Robina	Vaccinium Valerian Varnish Tree	$\frac{29}{50}$
Robina 21 Rock Purslane 47 Rockspray 33 Rosa 21	Vaccinium Valerian Varnish Tree Veronica	$\frac{29}{50}$ $\frac{13}{50}$
Rebina 21 Rock Purslane 47 Rockspray 33 Rosa 21, 22 Rose of Sharon 11, 12	Vaccinium Valerian Varnish Tree Veronica Viburnum 29, 30,	$\begin{array}{c} 29 \\ 50 \\ 13 \\ 50 \\ 46 \end{array}$
Robina 21 Rock Purslane 47 Rockspray 33 Rosa 21, 22 Rose of Sharon 11, 12 Rosa 21, 22 Rosa 21, 22	Vaccinium Valerian Varnish Tree Veronica Viburuum Vinca Vinca	$\begin{array}{c} 29 \\ 50 \\ 13 \\ 46 \\ 50 \end{array}$
Robina 21 Rock Purslane 47 Rockspray 33 Rosa 21, 22 Rose of Sharon 11, 12 Rose Acacia 21	Vaccinium Valorian Varnish Tree Veronica Viburnum 29, 30, Vinea Viola	$\begin{array}{c} 29 \\ 50 \\ 13 \\ 60 \\ 50 \\ 50 \end{array}$
Robina 21 Rock Purslane 47 47 47 47 47 47 47 4	Vaccinium Valeriau Varnish Tree Veronica Viburnum Vinca Viola Viola Virginia Creeper	$\begin{array}{c} 29 \\ 50 \\ 13 \\ 50 \\ 46 \\ 50 \\ 50 \end{array}$
Robina	Vaccinium Valorian Variosis Tree Veronica Viburnum 29, 30, Vinca Viola Virgiula Creeper Vitor	$\begin{array}{c} 29 \\ 50 \\ 13 \\ 50 \\ 46 \\ 50 \\ 50 \\ 30 \end{array}$
Robina	Vaccinium Valeriau Varnish Tree Veronica Viburnum Vinca Viola Virginia Creeper Vitex	29 50 13 50 46 50 50 30
Robina	Vaccinium Valerian Valerian Varnish Tree Veronica Viburnum Vinca Viola Virginia Creeper Vitex	
Robina		
Rock Purslane	Wayfaring Tree	
Rock Purslane	Wayfaring Tree	$29 \\ 16 \\ 31 \\ 42 \\ 49$
Rock Purslane	Wayfaring Tree	$29 \\ 16 \\ 31 \\ 42 \\ 49 \\ 7$
Rock Purslane	Wayfaring Tree	29 16 31 42 49 7
Rock Purslane	Wayfaring Tree	29 16 31 42 49 7 48
Rock Purslane	Wayfaring Tree	29 16 31 42 49 14 48 25
Rock Purslane	Wayfaring Tree	$29 \\ 16 \\ 31 \\ 42 \\ 48 \\ 25 \\ 12$
Rock Purslane	Wayfaring Tree	29 16 31 42 49 14 48 25 11
Rock Purslane	Wayfaring Tree	29 16 31 42 49 14 48 12 11 35
Rock Purslane	Wayfaring Tree	29 16 31 42 49 14 48 25 11 35
Rock Purslane	Wayfaring Tree	29 16 31 42 49 14 48 25 11 35 29
Rock Purslane	Wayfaring Tree	29 16 31 42 49 14 48 25 11 35 29
Rock Purslane	Wayfaring Tree	29 16 31 42 49 14 48 25 11 35
Rock Purslane	Wayfaring Tree	29 16 31 42 49 14 48 25 11 35 29
Rock Purslane	Wayfaring Tree	29 16 31 42 48 25 11 35 29 31
Rock Purslane	Wayfaring Tree	29 16 31 42 48 25 11 35 29 31 47
Robin 247 Rock Purslane 47 Rock Spray 33 Rosa 21, 22 Rose of Sharon 11, 12 Rose Acacia 21 Rose Acacia 21 Roses Acacia 21 Roses Acacia 21 Roses Climbing 23 Roses, Climbing 23 Rubus 24 Eudbackia 50 Russian Olive 10 Russian Olive 10 Sage S Sage 50 St. Johnswort 12 Salisburia 11 Salix 24, 25 Salvia 50 Sand Myrtle 38 Savin 37 Scotch Broom 9 Sedum 50 Shasta Daisy 47 Silver Bell 11 Silver Maple 1 Sneezeweed 48 Snowball 30 Snowball 30 Snowball 30 Snowball 35 Sonbaria 25 S	Wayfaring Tree	29 16 31 42 48 25 31 47 47 47
Robin 247 Rock Purslane 47 Rock Spray 33 Rosa 21, 22 Rose of Sharon 11, 12 Rose Acacia 21 Rose Acacia 21 Roses Acacia 21 Roses Acacia 21 Roses Climbing 23 Roses, Climbing 23 Rubus 24 Eudbackia 50 Russian Olive 10 Russian Olive 10 Sage S Sage 50 St. Johnswort 12 Salisburia 11 Salix 24, 25 Salvia 50 Sand Myrtle 38 Savin 37 Scotch Broom 9 Sedum 50 Shasta Daisy 47 Silver Bell 11 Silver Maple 1 Sneezeweed 48 Snowball 30 Snowball 30 Snowball 30 Snowball 35 Sonbaria 25 S	Wayfaring Tree	29 16 31 42 48 25 11 35 29 31 47
Robin 247 Rock Purslane 47 Rock Spray 33 Rosa 21, 22 Rose of Sharon 11, 12 Rose Acacia 21 Rose Acacia 21 Roses Acacia 21 Roses Acacia 21 Roses Climbing 23 Roses, Climbing 23 Rubus 24 Eudbackia 50 Russian Olive 10 Russian Olive 10 Sage S Sage 50 St. Johnswort 12 Salisburia 11 Salix 24, 25 Salvia 50 Sand Myrtle 38 Savin 37 Scotch Broom 9 Sedum 50 Shasta Daisy 47 Silver Bell 11 Silver Maple 1 Sneezeweed 48 Snowball 30 Snowball 30 Snowball 30 Snowball 35 Sonbaria 25 S	Wayfaring Tree Wax Myrtle Weeping Mulberry Weigela 30. Whitecedar Whitecedar White Fringe White Fringe Whitewood Whitlow Grass Willows 24, Winterberry Witch Hazel Wintercreeper 34, Witherod Wisteria Woadwaxen Y Yarrow Yellowroot Yew	29 16 31 42 48 25 31 47 47 47
Robin 247 Rock Purslane 47 Rock Spray 33 Rosa 21, 22 Rose of Sharon 11, 12 Rose Acacia 21 Rose Acacia 21 Roses Acacia 21 Roses Acacia 21 Roses Climbing 23 Roses, Climbing 23 Rubus 24 Eudbackia 50 Russian Olive 10 Russian Olive 10 Sage S Sage 50 St. Johnswort 12 Salisburia 11 Salix 24, 25 Salvia 50 Sand Myrtle 38 Savin 37 Scotch Broom 9 Sedum 50 Shasta Daisy 47 Silver Bell 11 Silver Maple 1 Sneezeweed 48 Snowball 30 Snowball 30 Snowball 30 Snowball 35 Sonbaria 25 S	Wayfaring Tree Wax Myrtle Weeping Mulberry Weigela Whitecedar Whitecup White Fringe White Whitewood Whitewood Whitewood Whitewood Willows 24, Winterberry Witch Hazel Wintercreeper Witch Hazel Wisteria Woadwaxen Yarrow Yellowroot Yew	29 16 31 42 49 35 29 31 47 21 43
Rook Purslane	Wayfaring Tree Wax Myrtle Weeping Mulberry Weigela Whitecedar Whitecup White Fringe Whitewood Whitewood Whitewood Willows 24, Winterberry Witch Hazel Winterceeper Wisteria Woadwaxen Yarrow Yellowroot Yew	29 16 31 42 48 25 31 47 47 47

An Open Invitation



The best and really only way to become acquainted with the methods by which we grow nursery stock to maintain our slogan "QUALITY FIRST" is to visit our nurseries. We are only seventeen miles from New York City, and Millburn station on the D., L. & W. Railroad is within walking distance from us. If the Pennsylvania Railroad is more convenient, get off at Elizabeth station and call us up at Millburn 152 and we can meet you there. Street cars pass our office every half hour, giving direct communication with Elizabeth, Newark, Millburn and Summit. The auto roads are splendid in every direction, and we shall always be glad to show you around the nurseries—so come whenever you can.





